## CATALOGUE NOW ON-LINE

ver 34 12/10/2013

For the latest version of this catalogue go to our website at www.thewoodworks.com.au Click on the Home Page link to the Catalogue PDF's

# SCOPE OF THIS CATALOGUE

We sell in excess of 8,000 products. This catalogue lists a smaller selection of items which have proven popular with schools over many years. For other items please contact us or search our website at www.thewoodworks.com.au.

## **ACCOUNTS**

We offer immediate terms to any Australian school. No account opening procedures are needed. All we ask is that orders are on official school letterhead and have an Order Number.

# **FIXED WRITTEN QUOTES**

To speed up your admin time we can supply you with a written quote for any of our items.

# **HEGNER MACHINES - SALES & SERVICE**

We are very proud of the service record of our Hegner machines many of which are still performing as new after 25 years in Australian schools. We can use a metropolitan or national courier service to ship machines back to us for evaluation of you wish. We will provide a repair quote and advise the current replacement cost of the machine to assist with your repair decision.

We offer service in-situ in schools in most of suburban Sydney.

For schools outside this region we can arrange a courier to pick up your machine and ship it to us.

Alternatively we sell Hegner spare parts for schools who wish to carry out their own servicing.

If you need machines evaluated for repair or wish to arrange service use the hotline below.

FOR SERVICE CALL (02) 9979 7797

#### INDEX

Index	1	Pen making	19
Scroll Saws & Accessories	2	Pepper Mill making	19
Scroll saw blades	4	Toy Wheel Cutters	20
ZFG Comb Jointer	6	Clock making	20
Joint Genie Doweling	7	Consumables & Finishes	22
Vacuums	7	Putty Bricks	22
Plastics Strip Heaters	8	Shellac	23
Sanding machines	8	Tung Oil	24
Bench Plane Spares	9	Beeswax	24
Turning Tools	10	Abrasive Backing Pads & Discs	24
Sharpening	11	Disc Cement	25
Pyrography	13	Carving	26
Pinewood and Plywood	13	Hand Tools	26
Project hardware	14	Saws & layout Tools	27
Threaded Inserts	14	Drill & Borers	30
Hinges & Screws	15	Bench Vices	31
Box & cabinet Hardware	16	Plug Cutters	31
Escutcheon Pins	17	Wood Drills	31
CD & DVD Racks	18	Repackaging	32

#### **SCROLL SAWING - HEGNER - GERMANY**

For a detailed discussion about Hegner scroll saws see our dedicated companion site at www.scrollsaws.com.au

The Multicut 1 is our best selling quality scroll saw with an excellent service record and with thousands in use in Australian schools. A quality scroll saw is undoubtedly the safest powered wood saw available for use in schools. Statistically the very small risk profile of scroll saws suggests eye injury from broken blade parts and being hurt by machines falling off benches exceed the minimal risk of being cut by the blade. Hegner scroll saws can be bolted to the bench and the patented blade retaining system greatly minimises risk from blade fragments. Despite this we still suggest eye protection be worn at all times.

The Multicut 1 is available in either single or variable speed models. Blade guards and work hold down arms are available accessories.

Variable speed is factory fitted and must be specified at order time. Note that Hegner scroll saws use pinless blades of which there are numerous patterns and sizes to enable working with the widest variety of materials.

Other scroll saw make use of pinned blades which are more expensive, available in only 3 or 4 patterns and may be limited to wood.

The patented Hegner blade clamp arrangement contains broken blades and minimises risks from pieces of blade being thrown about.

These machines are fully supported with spare parts and maintenance across Australia. We routinely service machines more than 25 years old which are still in excellent functioning condition.

**Hegner Multicut 1** 



#### **Hegner Multicut 2S**



- Saw, Scroll, Multicut 1, single speed
- Saw, Scroll, Multicut 1, vari speed
- Saw. Scroll. Multicut-2S, single speed

Saw, Scroll, Multicut-2S, vari speed	M0242
Saw, Scroll, Multicut-SE, vari speed	M0243

#### POPULAR SPARES, ACCESSORIES & UPGRADES

- Assembly, Tension Rod with Quick Release function
- Assembly, Jointhose, for M1
- Assembly, Jointhose, for M2S / SE / Quick
- Bracket, Retaining, for Dust Trumpet
- Arm, Hold Down for Multicut 1 WITHOUT GUARD
- Arm, Hold Down for Multicut 2S WITHOUT GUARD
- Arm, Hold Down for Multicut 1 WITH BLADE GUARD Arm, Hold Down for Multicut 2S - WITH BLADE GUARD
- Guard, Blade, for use with Multicut Hold Down Arm
- Part, Multicut 1, #023, Clamp, Blade
- ✓ Clamp, Quick Release, for Inside Sawing
- ✓ Key, Blade Fitting, for Hegner Blade Clamps
- ✓ Switch, Foot, for M1 / M2 / SE / Quick
- ✓ Lamp, Machine, for Multicut 1 (Screw cap lampholder)
- Bracket, for Work Lamp, for M1 C Frame
- Bracket, for Work Lamp, for M2S, SE & Quick C Frame

ITEM	RRP	Ex GST
M0239	995.00	904.55
M0240	1,395.00	1,268.18
M0241	1,590.00	1,445.45
M0242	1,995.00	1,813.64
M0243	2.395.00	2.177.27

S1001A	99.00	90.00
S6914	73.27	66.61
S6916	77.31	70.28
S6905A	22.50	20.45
A7050	121.00	110.00
A7051	121.00	110.00
A7060	132.95	120.86
A7061	132.95	120.86
A7040	34.95	31.77
S1014	19.95	18.14
S6845	52.73	47.94
S0977	17.95	16.32
A7070	149.95	136.32
A7072	69.95	63.59
A7074	28.75	26.14
A7075	28.75	26.14

Introduces quick release function Improved dust collection Improved dust collection Protects dust trumpet from damage Holds work on table while cutting Holds work on table while cutting Supports guard & holds work on table Supports guard & holds work on table Guard - screws onto hold down arm Spare standard blade clamp Assists with pierced work Spare tightening key Allows hands free stop start Improves work station lighting Factory made bracket for machine Factory made bracket for machine

#### S6914 & S6916 Jointhose



# A7040 Blade guard



A7050 Hold Down



S6845 Quick Release



S0977 Key



A7070 Footswitch



A7072 Lamp



A7074 & S1001A



#### **MULTICUT SPECIFICATIONS**

М	OC	le	ls	1	aı	٦d	1e
---	----	----	----	---	----	----	----

Shipping Weight 20 kg Machine weight 16 kg Warranty 3 years

Length 520mm (20 inches) Width 270mm (11 inches) Throat 365mm (14 inches) Max Cut 50mm (2 inches) Blades Pinless 130 mm (5 inch) Table Machined alloy

Table size 435mm x 230mm (17" x 9")

Table tilt 0~45 degrees

Quiick Tension Release Yes at Rear Quick Blade Clamp No (accessory) Indicative Noise At Idle 64.1 dB(A) Indicative Noise Machining 74.5 dB(A)

Dust management Dual - bellows blower & vacuum port

Stroke Two options - 12 & 18mm

Ex Factory Stroke Setting 18mm Speed Fixed (Model 1) 1400 spm Speed Variable (Model 1e) 400~1400 spm

Motor 100Watts (230v, 50Hz, AC) Motor Type (Model 1) TEFC Cap start continuous duty Motor Type (Model 1e) TEFC VS drive continuous duty

Motor rating Continuous

Indicative Capacities

Soft Wood 50mm Hard Wood 40mm Alloy, Copper, Brass 5mm Hard plastics, perspex 15mm Polyurethane foam 50mm

#### Models 2S and 2Se

Shipping Weight 22 kg Machine Weight 19kg Warranty 3 years

Length 610mm (24 inches) Width 280mm (11 inches) Throat 460mm (18 inches) Max Cut 65mm (2 1/2 inches) Blades Pinless 130 mm (5 inch)

Table 2S & 2Se Machined alloy

Table size 435mm x 230mm (17" x 9")

Table tilt -12 ~ +45 degrees Quick Arm Tension Release Yes at Front

Quick Blade Clamp Yes Indicative Noise At Idle 64.1 dB(A) Indicative Noise Machining 74.5 dB(A)

**Dust management** Dual - bellows blower & vacuum

Stroke Two options - 12 & 19mm

Ex Factory Stroke Setting 19mm Speed Fixed (Model 2S) 1400 spm Speed variable (Model 2Se) 400~1400 spm

Motor 100Watts (230v, 50Hz, AC) Motor Type (Model 2S) TEFC Cap start contin. duty Motor Type (Model 2Se) TEFC VS drive contin. duty

Motor rating Continuous


Indicative Capacities

65mm Soft Wood Hard Wood 50mm Alloy, Copper 5mm Brass, Silver 10mm Iron soft steel 8mm Hard plastics, perspex 15mm Polyurethane foam 65mm

#### **BLADES - FOR SCROLL AND COPING SAWS**

#### PEBECO GENERAL PURPOSE, 130mm (Note: 1 gross = 12 dozen)


General purpose blade for wood, plastics etc.	ITEM	RRP	Ex GST
1doz, #3, #180, PEBECO	L1404	11.90	10.82
1doz, #5, #180, PEBECO	L1406	11.90	10.82
1doz, #7, #180, PEBECO	L1408	11.62	10.56
1doz, #9, #180, PEBECO	L1410	12.64	11.50
1doz, #14, #180, PEBECO	L1413	13.25	12.05
1gross, #3, #180, PEBECO	L1433	95.35	86.68
1gross, #5, #180, PEBECO	L1435	95.35	86.68
1gross, #7, #180, PEBECO	L1437	98.40	89.45
1gross, #9, #180, PEBECO	L1439	98.40	89.45
1gross, #14, #180, PEBECO	L1442	109.15	99.23
	1doz, #3, #180, PEBECO 1doz, #5, #180, PEBECO 1doz, #7, #180, PEBECO 1doz, #9, #180, PEBECO 1doz, #14, #180, PEBECO 1gross, #3, #180, PEBECO 1gross, #5, #180, PEBECO 1gross, #7, #180, PEBECO 1gross, #7, #180, PEBECO 1gross, #9, #180, PEBECO	1doz, #3, #180, PEBECO       L1404         1doz, #5, #180, PEBECO       L1406         1doz, #7, #180, PEBECO       L1408         1doz, #9, #180, PEBECO       L1410         1doz, #14, #180, PEBECO       L1413         1gross, #3, #180, PEBECO       L1433         1gross, #5, #180, PEBECO       L1435         1gross, #7, #180, PEBECO       L1437         1gross, #9, #180, PEBECO       L1439	1doz, #3, #180, PEBECO       L1404       11.90         1doz, #5, #180, PEBECO       L1406       11.90         1doz, #7, #180, PEBECO       L1408       11.62         1doz, #9, #180, PEBECO       L1410       12.64         1doz, #14, #180, PEBECO       L1413       13.25         1gross, #3, #180, PEBECO       L1433       95.35         1gross, #5, #180, PEBECO       L1435       95.35         1gross, #7, #180, PEBECO       L1437       98.40         1gross, #9, #180, PEBECO       L1439       98.40



#### FIX/REVERSE ULTRA SMOOTH CUT, 130mm - (Note: 1 gross = 12 dozen)

Fix/reverse blades have some upward cutting teeth to minimise tearout on the bottom of the work

	Tixiteverse blades have some upward cutting te		arout on the	bottom c
~	1 doz, #1, FIX/REVERSE	L1371	11.90	10.82
~	1doz, #5, FIX/REVERSE	L1373	11.62	10.56
~	1doz, #7, FIX/REVERSE	L1374	12.64	11.50
~	1doz, #9, FIX/REVERSE	L1375	13.25	12.05
•	1doz, #12, FIX/REVERSE	L1376	13.25	12.05
<b>~</b>	1gross, #1, FIX/REVERSE	L1391	88.15	80.14
~	1gross, #5, FIX/REVERSE	L1393	96.15	87.41
~	1gross, #7, FIX/REVERSE	L1394	97.12	88.29
~	1gross, #9, FIX/REVERSE	L1395	106.37	96.70
~	1gross, #12, FIX/REVERSE	L1396	116.12	105.56



#### TWISTER BLADES - 130mm - (Note: 1 gross = 12 dozen)

Have spirally teeth which allows cuts in any direction without rotating the work


~	1doz, #1, TWISTER	L1445	14.52	13.20
~	1doz, #3, TWISTER	L1446	14.52	13.20
~	1doz, #5, TWISTER	L1447	14.52	13.20
-	1 Gross, #1, TWISTER	L1450	109.94	99.95
~	1 Gross, #3, TWISTER	L1451	111.13	101.03
~	1 Gross, #5, TWISTER	L1452	113.66	103.33



	METAL CUTTING - FOR SOFT METALS (Note: 1 gross =	= 12 dozen)		
~	1 doz, #1 ANTILOPE BLUE	L1535	15.83	14.39
•	1 doz, #3 ANTILOPE BLUE	L1536	15.74	14.31
•	1 doz, #5 ANTILOPE BLUE	L1537	17.32	15.75
•	1 doz, #7 ANTILOPE BLUE	L1538	21.62	19.65
•	1 doz, #9 ANTILOPE BLUE	L1539	25.92	23.56
•	1 gross, #1 ANTILOPE BLUE	L1550	146.12	132.84
•	1 gross, #3 ANTILOPE BLUE	L1551	145.26	132.05
•	1 gross, #5 ANTILOPE BLUE	L1552	159.91	145.38
•	1 gross, #7 ANTILOPE BLUE	L1553	199.57	181.43
•	1 gross, #9 ANTILOPE BLUE	L1554	239.22	217.48

PINNED BLADES FOR OTHER SCROLL SAW MACHINE	S (Note: 1	gross = 12 d	lozen)
Blades Scroll Saw Pinned 130mm 10 thi nkt of dozen	1 1660	14 79	12 11

•	Blades, Scroll Saw, Pinned, 130mm 10 tpi, pkt of dozen,	L1660	14.78	13.44
•	Blades, Scroll Saw, Pinned, 130mm 15 tpi, pkt of dozen,	L1661	14.78	13.44
•	Blades, Scroll Saw, Pinned, 130mm 20 tpi, pkt of dozen	L1662	14.78	13.44
•	Blades, Scroll Saw, Pinned, 130mm 25 tpi, pkt of dozen	L1663	14.78	13.44
•	Blades, Scroll Saw, Pinned, 130mm 10 tpi, 1 Gross	L1670	177.41	161.29
•	Blades, Scroll Saw, Pinned, 130mm 15 tpi, 1 Gross	L1671	177.41	161.29
•	Blades, Scroll Saw, Pinned, 130mm 20 tpi, 1 Gross	L1672	177.41	161.29
•	Blades, Scroll Saw, Pinned, 130mm 25 tpi, 1 Gross	L1673	177.41	161.29



#### PINNED BLADES FOR COPING SAW FRAMES

Safety Note: Do NOT use 150mm coping blades in Hegner scroll saws. To do so risks the machine jamming at start up and catastrophic failure of the motor and/or breakage of the top arm pivot bolt because arm geometry is pushed out of limits.

-	165 x 0.5mm Kerf, 1.69mm pitch (15 tpi), pkt dozen	L1891	7.22	6.56
~	165 x 0.5mm Kerf, 1.69mm pitch (15 tpi), Grosse, (12 doz)	L1892	69.10	62.82
~	165 x 0.5mm Kerf, 1.27mm pitch (20 tpi), pkt dozen	L1893	7.22	6.56
<b>_</b>	165 x 0.5mm Kerf. 1.27mm pitch (20 tpi). Grosse. (12 doz)	L1894	69.10	62.82

#### **BLADE DIMENSIONS**

Σ	COUNT	ш	Ø	S R	REV. TEETH	7.	WIDTH		PITCH mm
ITEM	8	SIZE	Pins	LONG	RE	KERF	M	르	Ħ
PEBECO									
L1400	1 x doz	#2/0	no	130mm		0.25	0.58	30	0.85
L1404 L1406	1 x doz 1 x doz	#3 #5	no no	130mm 130mm		0.34 0.39	0.77 1.03	20 17	1.27 1.54
L1408	1 x doz	#7	no	130mm		0.39	1.20	14	1.81
L1410	1 x doz	#9	no	130mm		0.48	1.50	14	1.81
L1413	1 x doz	#14	no	130mm		0.55	1.90	10	2.54
L1429	12 x doz	#2/0	no	130mm		0.25	0.58	30	0.85
L1433	12 x doz	#3	no	130mm		0.34	0.77	20	1.27
L1435	12 x doz	#5	no	130mm		0.39	1.03	17	1.54
L1437	12 x doz	#7	no	130mm		0.44	1.20	14	1.81
L1439	12 x doz	#9	no	130mm		0.48	1.50	14	1.81
L1442	12 x doz	#14	no	130mm		0.55	1.90	10	2.54
FIX / REV	/ERSE 400/F	₹							
L1371	1 x doz	#1	no	130mm	8	0.30	0.77	15	1.69
L1373	1 x doz	#5	no	130mm	8	0.38	0.93	12	2.12
L1374	1 x doz	#7	no	130mm	8	0.42	1.10	12	2.12
L1375	1 x doz	#9	no	130mm	8	0.46	1.35	12	2.12
L1376	1 x doz	#12	no	130mm	4	0.52	1.70	8	3.18
L1391	12 x doz	#1	no	130mm	8	0.30	0.77	15	1.69
L1393	12 x doz	#5 # <del>7</del>	no	130mm	8	0.38	0.93	12	2.12
L1394 L1395	12 x doz 12 x doz	#7 #9	no no	130mm 130mm	8	0.42 0.46	1.10 1.35	12 12	2.12
L1396	12 x doz	#12	no	130mm	4	0.40	1.70	8	3.18
TWISTER	₹								
L1445	1 x doz	#1	no	130mm	7	0.72	0.70		
L1446 L1447	1 x doz	#3 #5	no	130mm	7	0.85 0.88	0.77		
	1 x doz		no	130mm			0.90		
L1450 L1451	12 x doz	#1 #3	no	130mm 130mm	7	0.72 0.85	0.70 0.77		
L1451	12 x doz 12 x doz	#5 #5	no no	130mm	7	0.88	0.77		
					•	0.00	0.00		
L1535	1 x doz	#1	no	130mm		0.28	0.62	51	0.50
L1536	1 x doz	#3	no	130mm		0.26	0.02	41	0.63
L1537	1 x doz	#5	no	130mm		0.40	0.85	33	0.77
L1538	1 x doz	#7	no	130mm		0.50	1.10	28	0.91
L1539	1 x doz	#9	no	130mm		0.55	1.30	23	1.11
L1550	12 x doz	#1	no	130mm		0.28	0.62	51	0.50
L1551	12 x doz	#3	no	130mm		0.36	0.75	41	0.63
L1552	12 x doz	#5	no	130mm		0.40	0.85	33	0.77
L1553	12 x doz	#7	no	130mm		0.50	1.10	28	0.91
L1554	12 x doz	#9	no	130mm		0.55	1.30	23	1.11
	SCROLLSA		ES						
L1660	1 x doz	10	/es	130mm		0.50	3.00	10	2.54
L1661	1 x doz	15	/es	130mm		0.50	3.00	15	1.69
L1662 L1663	1 x doz 1 x doz	20 25	/es	130mm 130mm		0.50 0.25	3.00 2.00	20 25	1.27
L1663			/es						2.54
L1670 L1671	12 x doz 12 x doz	10 15	/es	130mm 130mm		0.50 0.50	3.00 3.00	10 15	1.69
L1672	12 x doz	20	/es	130mm		0.50	3.00	20	1.09
L1673	12 x doz	25	/es	130mm		0.25	2.00	25	1.02
	COPING SA	w							
L1891	1 x doz		/es	165mm		0.50		15	1.69
L1892	12 x doz		/es	165mm		0.50		15	1.69
L1893 L1894	1 x doz 12 x doz		/es	165mm 165mm		0.50 0.50		20 20	1.27
L1094	12 X UUZ		/es	10011111		0.50		20	1.21

#### **DECORATIVE JOINTING**

The ZFG is a simple, safe machine with excellent dust/chip extraction which offers students the capability of making perfect finger joints. We have a number of school customers making serving trays, lidded boxes and pencil boxes made with the ZFG for middle and senior secondary years. The ZFG has a fully guarded cutter and has proven a much safer option than the use of hand held routers on dovetail jigs. Now with improved, more powerful router motor.



Helically ground cutters for ZFG



#### **FINGER JOINTER - HEGNER - GERMANY**

Finger Jointer, ZFG Comb/Finger Jointing Machine

ITEM	RRP	Ex GST
M0478	1,195.00	1,086.36

#### CUTTERS

The machine is supplied with either 8mm or 6.35 (1/4 inch) shank helically ground special router cutters in 4mm, 6mm, 8mm and 10mm diameters. The 8mm shank cutters are preferred as they are more robust. There is also a 12mm diameter cutter available

~	Bit, Router,	4mm,	6.35mm	Shank,	ZFG	Comb	Jointer

Bit, Router, 6mm, 6.35mm Shank, ZFG Comb Jointer

Bit, Router, 8mm, 6.35mm Shank, ZFG Comb Jointer

→ Bit, Router, 10mm, 6.35mm Shank, ZFG Comb Jointer

→ Bit, Router, 12mm, 6.35mm Shank, ZFG Comb Jointer

	Rit Router	4mm 8mm	Shank 7FG	Comb Jointer
~	Dit, Noutei,	<del>1</del> 1111111, O111111	i Olialik, Zi O	COITID JUILLEI

Bit, Router, 6mm, 8mm Shank, ZFG Comb Jointer

→ Bit, Router, 8mm, 8mm Shank, ZFG Comb Jointer

Bit, Router, 10mm, 8mm Shank, ZFG Comb Jointer

→ Bit, Router, 12mm, 8mm Shank, ZFG Comb Jointer

ITEM	RRP	Ex GST
R6202	47.67	43.33
R6203	47.67	43.33
R6204	47.67	43.33
R6205	47.67	43.33
R6206	47.67	43.33

R6210	47.67	43.33
R6211	47.67	43.33
R6212	47.67	43.33
R6213	47.67	43.33
R6214	47.67	43.33





#### **JOINT GENIE DOWELING JIGS - BRITISH MADE**

Doweling remains one of the simplest and strongest methods of joining wood and one of the safest for schools.

Given a quality adhesive and hardwood dowels, Joint Genie jigs allow the simple joining of sheet and post & rail structures for a wide variety of school woodworking. Doweling requires the use of much safer power or hand drills than eqivalent methods using hand held routers.

#### See our site for a link to a demonstration DVD. Contact us for dowel purchase options

#### Craftsman 8mm



#### Professional 6mm or 8mm or 10mm



Multi Professional 6/8/10mm







- → 'Joint Genie', Craftsmen, 8mm
- ✓ 'Joint Genie', Professional, 6mm
- √ 'Joint Genie', Professional, 8mm
- 'Joint Genie', Professional, 10mm
- 'Joint Genie', Multi Professional, 6mm, 8mm, 10mm
- 'Joint Genie', Jobber, 6mm
- 'Joint Genie', Jobber, 8mm

E0136	265.91	241.74
E0143	152.19	138.35
E0144	158.62	144.20
E0145	158.62	144.20
E0151	300.19	272.90
E0155	116.30	105.73
E0156	116.30	105.73

#### **VACUUMS**

#### **HEGNER MAXIMUS UNDERBENCH VACUUM**

The Hegner Maximus is the perfect machine for installations where distributed dust control is installed.

The Maximus from Hegner is a down-size, quiet vacuum with variable suction which is ideally suited to placement under work benches. It has a master-slave feature which allows bench top machines to automatically switch the vacuum on and off.

This saves on power consumption and reduces noise in the work room. Only 62dB (A) at max power

Va	cuum/Dust	Extractor,	Maximus	13E
----	-----------	------------	---------	-----

Bag, Filter, for Hegner Maximus 13E, 10 pieces

ITEM	RRP	Ex GST
M0920	589.55	535.95
C0720	72.19	65.63

#### Specifications

Model Hegner Maximus 13E

Height 405mm Width 290mm Depth 400mm Weight tba

Mains 230 volt AC, 50 Hz Max power 1250 watts

Max power 1250 watts
Noise at Max power 62dB(A)
Variable suction & noise 7es
Dust volume 13 litres
Mains cable 10 metres
Dust hose 2.5 metres
Hose swivel connection 7es

Suction throughput Max. 60 litres/sec
Vacuum Pressure 290 mbar
Filtration HEPA H21

Bags Yes, disposable (See C0720)

Accessories Floor wand, Crevice & Furniture Brush Upholstery nozzles



#### STRIP HEATERS FOR PLASTICS WORK

- 500mm Capacity, 240Volts, 200Watts, #SH 500-1
- → 1000mm Capacity, 240Volts, 200Watts, #SH 1000-1

M0050	714.00	649.09
M0051	891.00	810.00



#### **SANDING**

#### **HEGNER SANDERS**

The WSM German made Hegner disc sander has a 300mm, fully guarded velcro equipped hook disc & is equipped with no-volt starling. It is fitted with an efficient dust collection port.


The HSM-300S has a tilting disc and fixed table which allows heavier pieces to be work. Digital tilt gauge is an option.

The TWS 230 table drum sander has a sanding width of 230mm and table 520mm x 320mm. Fence is optional. The TWS is the perfect companion machine for the Hegner scroll saws and finger jointers. With a fence fitted (please order as accessory) and table height perfectly adjusted it can final sand most scroll saw and box projects very safely.

The TBS 500 belt sander tilts so that the sanding platten can be either horizontal or vertical. The optional bobbin attachment fits to the belt sander. The machine has no-volt starting and excellent dust porting. (Stand illustrated but not supplied)

- ✓ Sander, Disc, 300mm, #WSM-300
- ✓ Sander, Disc, #HSM-300
- ✓ Sander, Disc, #HSM-300 S
- ✓ Sander, Drum, Hegner, #TWS230
- → Sander, Drum, Belt, #TBS-500
- ✓ Sander, Bobbin, Accessory for, #TBS-500

ITEM	RRP	Ex GST
M1052	1,165.00	1,059.09
M1051	1,799.00	1,635.45
M1050	2,038.00	1,852.73
M1094	665.00	604.55
M1043	2,995.00	2,722.73
A4131	372.00	338.18









M1043 A4131 M1051










#### **BENCH PLANE SPARE PARTS**

For several years spares for Stanley planes for been only intermittently availabe and in many cases only in quite extensive kits. In addition to these kits we now can offer some parts to the component level for all other than Y levers, lateral adjust levers and frog clips all of which require the purchase of a full frog assembly.



1	Cap screw
2	Lever cap
3	Lever cap screw
4	Frog complete

- "Y" adjusting lever
- 7 8 9 10
- Adjusting nut Adjusting nut screw Lateral adjusting screw
  - Frog screw Handle
- 11 Knob 12 Handle bolt & nut
- Knob bolt & nut 13 14 Handle screw Plan body
- Cutting iron
- Frog adjusting screw
- 18 Back iron

16

17

#### **SPARES KITS**

5

•	No: 1, Handle & Knob, for #3, #4
~	No: 2, Handle & Knob, for #4 1/2, #5, #5 1/2, #6, #7
~	No: 3, Bench Plane Fasteners
•	No: 5, Frog Kit for #4, #5
•	No: 8, Lever Cap for #4, #5
•	No: 9, Lever Cap for #4 1/2, #5 1/2, #8, #7
•	No: 12-322, Back Iron & Blade Assembly, for #3
~	No: 12-323, Back Iron & Blade Assembly, for #4, #5

•	No. 12-322, Back Holl & Blade Assembly, 101 #3
,	No: 12-323, Back Iron & Blade Assembly, for #4, #5
,	No: 12-325, Back Iron & Blade Ass, for #4 1/2, 5 1/2,6,7

ITEM	RRP	Ex GST
S2980	25.64	23.31
S2981	25.98	23.62
S2983	32.54	29.58
S2984	83.18	75.62
S2987	41.50	37.73
S2988	68.30	62.09
S2989	33.28	30.25
S2990	33.80	30.73
S2991	35.88	32.62

PART
10,12,14,11,13
10,12,14,11,13
Set of Stanley & Metric.
4
2
2

1,16,18

1,16,18

#### SPARES INDIVIDUALLY - (NOTE: ALL STANLEY THREAD, VERY NEW PLANES MAY BE METRIC)

✓ Screw & Nut, Handle, #3 to #4, #P78987	S3005	6.50	5.91
✓ Screw & Nut, Handle, #4.5 to #7, #P78995	S3006	6.50	5.91
✓ Screw & Nut, Knob, #3 & #4, #P79026	S3007	6.50	5.91
✓ Screw & Nut, Knob, #4.5 to #7, #P79034	S3008	6.50	5.91
Screw, Toe, #P36396	S3010	8.12	7.38
<ul><li>Screw, Frog Mounting, and Washer, #P78979</li></ul>	S3011	4.00	3.64
✓ Screw, Lever Cap, #P33066	S3012	6.50	5.91
✓ Screw, Cap/Back Iron, #3 to #7, #P33009	S3013	6.00	5.45
Screw, Frog Adjusting, #P32864	S3014	6.50	5.91
✓ Nut, Adjusting, #P34419	S3016	12.50	11.36
Screw, Adjusting Nut, #P34427	S3017	6.00	5.45
Cap, Lever, #4 & #5, #P73948	S2987	41.50	37.73
Cap, Lever, #4.5 to #7, #P73964	S2988	68.30	62.09
Back Iron, with screw, 45mm, #3, #P12002	S2989	33.28	30.25
✓ Back Iron, with screw, 50mm, #4, #5, #P12003	S2990	33.80	30.73
✓ Back Iron & screw. 60mm. #4 1/2. 5 1/2. 6. 7. #P12004	S2991	35.88	32 62

#### P&N HIGH SPEED STEEL WOODTURNING TOOLS - P&N - AUSTRALIA

P&N tools are fabricated in Australia using Austrian high speed steel. They have many features which make them an excellent choice for school use. They are fitted with very tough Spotted Gum handles and the gouge flutes are ground extra long for extended tool life. The skews have a fully rounded bottom edge - the 24mm skew is 8mm thick, not the usual 6mm.

Note: We supply round nose scrapers for the price of square scrapers for no extra charge

<b>,</b>	<b>P&amp;N SPINDLE (conventional flute)</b> Spindle Gouge, 6mm, Handled, Spindle Gouge, 6mm, Un Handled
•	Spindle Gouge, 8mm, Handled
•	Spindle Gouge, 8mm, Un Handled
•	Spindle Gouge, 10mm, Handled
•	Spindle Gouge, 10mm, Un Handled
•	Spindle Gouge, 12mm, Handled
•	Spindle Gouge, 12mm, Un Handled
•	Spindle Gouge, 16mm, Handled
•	Spindle Gouge, 16mm, Un Handled
•	Spindle Gouge, 19mm, Handled
~	Spindle Gouge, 19mm, Un Handled

ITEM	RRP	Ex GST
T6300	70.88	64.43
T6301	43.60	39.64
T6302	73.14	66.49
T6303	50.40	45.82
T6304	88.73	80.67
T6305	56.32	51.20
T6306	92.51	84.10
T6307	68.98	62.71
T6308	116.14	105.58
T6309	86.43	78.57
T6310	128.30	116.64
T6311	106.32	96.65



P& N BOWL	GOUGE	(measured	by ba	ar di	ameter)
David Cause	Cmm Lla	لممالمط			

~	Bowl Gouge, 6mm, Handled
•	Bowl Gouge, 6mm, Un Handled
•	Bowl Gouge, 8mm, Handled
•	Bowl Gouge, 8mm, Un Handled
•	Bowl Gouge, 10mm, Handled
•	Bowl Gouge, 10mm, Un Handled
•	Bowl Gouge, 12mm, Handled
•	Bowl Gouge, 12mm, Un Handled
•	Bowl Gouge, 16mm, Handled
•	Bowl Gouge, 16mm, Un Handled


ITEM	RRP	Ex GST
T6315	72.71	66.10
T6316	47.56	43.24
T6317	76.42	69.47
T6318	51.93	47.21
T6319	91.70	83.36
T6320	60.26	54.79
T6321	87.03	79.12
T6322	73.45	66.78
T6323	113.18	102.89
T6324	88.14	80.13



## P&N SUPA GOUGE (extra length flute - long & strong)

~	Supa Gouge, 16mm, Handled
~	Supa Gouge, 16mm, Un Handled
~	Supa Gouge, 22mm, Handled
•	Supa Gouge, 22mm, Un Handled

T6330	157.48	143.16
T6331	135.36	123.05
T6332	187.63	170.57
T6333	165.54	150.49



### P&N DETAIL GOUGE (shallow flute high waisted)

~	Detail Gouge, 8mm, Handled
~	Detail Gouge, 8mm, Un Handled
~	Detail Gouge, 10mm, Handled
~	Detail Gouge, 10mm, Un Handled
~	Detail Gouge, 12mm, Handled
-	Detail Gouge, 12mm, Un Handled
-	Detail Gouge, 16mm, Handled
-	Detail Gouge, 16mm, Un Handled

100.43	91.30
78.31	71.19
104.75	95.22
82.71	75.19
110.66	100.60
88.68	80.61
130.16	118.33
114.70	104.27
	78.31 104.75 82.71 110.66 88.68 130.16

T6338 - T6345

T6350 - T6353

#### P&N ROUGHING GOUGE (25 & 32 ground bar, 40mm forged)

~	25mm Roughing Gouge, Handled
•	25mm Roughing Gouge, Un Handled
~	32mm Roughing Gouge, Handled
~	32mm Roughing Gouge, Un Handled
~	32mm Roughing Gouge, Un Handled

T6350	183.57	166.88
T6351	161.61	146.92
T6352	238.56	216.88
T6353	216.35	196.68



#### **P&N SKEW**

**P&N PARTING** 

	Standard	Skow	12 v	6mm	Handlad
~	Standard	SKEW,	12 X	ommi,	папинеи

- Standard Skew. 12 x 6mm. Un Handled
- Standard Skew. 18 x 6mm. Handled
- Standard Skew, 18 x 6mm, Un Handled
- Standard Skew, 24mm x 8mm, Handled
- Standard Skew, 24mm x 8mm, Un Handled

Standard Section Parting Tool, 3 x 12mm, Handled

Standard Section Parting Tool, 6 x 12mm, Handled

Standard Section Parting Tool, 3 x 12mm, Un Handled

Standard Section Parting Tool, 6 x 12mm, Un Handled

- Standard Skew, 30 x 8mm, Handled
- Standard Skew, 30 x 8mm, Un Handled

T6360	114.84	104.40
T6361	69.91	63.56
T6362	139.94	127.22
T6363	94.05	85.50
T6364	160.75	146.13
T6365	104.75	95.22
T6366	175.09	159.17
T6367	122.92	111.74

**RRP** 

85.31

63.35

98.02

72.29

100.99

Ex GST

77.55

57.59

89.11

65.72

91.81









T6385 - T6386



#### **P&N SQUARE NOSE SCRAPER** T6375

ITEM

T6370

T6371

T6372

T6373

- Square Nose Scraper, 12 x 8mm, Handled
- → Square Nose Scraper, 12 x 8mm, Un Handled
- ✓ Square Nose Scraper, 18 x 8mm, Handled
- → Square Nose Scraper, 18 x 8mm, Un Handled
- ✓ Square Nose Scraper, 24 x 8mm, Handled
- ✓ Square Nose Scraper, 24 x 8mm, Un Handled
- Square Nose Scraper, 30 x 8mm, Handled
- Square Nose Scraper, 30 x 8mm, Un Handled

T6376	63.62	57.84
T6377	130.31	118.46
T6378	75.43	68.57
T6379	141.81	128.92
T6380	84.21	76.56
T6381	146.82	133.47
T6382	96.18	87.43



#### **P&N BEADING**

- Beading Tool, 10 x 10mm, Handled
- Beading Tool, 10 x 10mm, Un Handled

T6385	106.04	96.40
T6386	61.27	55.70

## **SHARPENING**

#### **SLOW SPEED WATER GRINDERS - SCANGRIND - DENMARK**

Slow speed water grinders sharpen all carbon steel edge tools with minimal risk to the operator. Water grinders are a perfect solution for bench and carving chisels and hand plane blades. The wheel rotates slowly in a water bath making it impossible to overheat the tool. These machines are safer than high speed bench grinders and the grinding process is slower and more controllable. Item Code M0004 is supplied with a diamond honing lapping plate which allows for final honing of edges. There are accessories for assisted grinding, repeatability and additional precision - see below.

### WATER GRINDERS, ACCESSORIES & SPARES

- Grinder, Water, Scan 200EK, #SC200EK
- Unit, Base, 'Startset', for Scangrind 200, #3800025
- Guide, Sliding, for Scan Grind 200, #3800026
- Jig, Grinding, Universal, for Scan 200, #3800023
- Jig, Grinding, Fingernail, for Scan 200, #3800021
- Wheel, Grinding, Scan 200mm Water Grinder, Spare

ITEM	RRP	Ex GST
M0005	518.70	471.55
A1981	104.58	95.07
A1982	81.90	74.45
A1983	78.12	71.02
A1986	104.58	95.07
S1341	164.64	149.67



A1981 + A1982



A1981 + A1982 + A1983



A1986



S1341



#### **HIGH SPEED BENCH GRINDERS**

High speed bench grinders sharpen all steel tools including high speed steel turning tools. The grinding wheels supplied with the great majority of bench grinders are suited to grinding mild steel for welding and not tool sharpening. An aluminium oxide cool running wheel should be fitted for tool sharpening. The grinder tool rests of the majority of high speed bench grinders are unsuited to tool sharpening. The McNaughton grinder rest and accessories offer great assistance with precision grinding for all straight edge tools and, in particular, gouge forms for carving and turning. A dressing stick, either a carborundum block or diamond point, is an essential tool to keep grinding wheels maintained. Our grinder is Danish made and comes with both a regular and a quality sharpening wheel.

#### **BENCH GRINDERS, ACCESSORIES & SPARES**

- Grinder, Bench, 200mm (8 inch), Scan
- Rest, Tool, Adjustable Grinder
- → Attachment, Multi Grind
- Wheel, Alu.Oxide 46grit, 200mm x 25mm, Multi Bushed
- Wheel, Alu.Oxide 60grit, 200mm x 25mm, Multi Bushed
- ✓ Wheel, Alu.Oxide 80grit, 200mm x 25mm, Multi Bushed
- → Wheel, Alu.Oxide 80grit, 150mm x 25mm, Multi Bushed
- Wheel, Alu.Oxide 120grit, 200mm x 25mm, Multi Bushed
- Stick, Dressing, Diamond, 0.5 carat
- Stick, Dressing, Silicon Carbide, 6 x 1 x 1

		_
ITEM	RRP	Ex GST
M0024	478.50	435.00
A2015	395.00	359.09
A2018	114.95	104.50
S0027	46.15	41.95
S0028	46.15	41.95
S0029	46.15	41.95
S0030	30.00	27.27
S0031	46.15	41.95
E0001	63.41	57.65
E0004	16.95	15.41









C2202 - C2206







#### HAND SHARPENING EQUIPMENT

Diamond sharpening plates are now available in a range of grits which means they are a complete alternative to other sharpening and honing systems. They are very durable and do not cup after extended use.

Waterstones offer the ultimate edge however are not as durable as other stones or diamond plates and must be used with a honing guide Strops should be used with honing compound. Aluminium oxide wheels are the preferred wheel for tool sharpening on a high speed bench grinder. A honing guide which holds the straight edge tool at the correct angle is strongly recommended.

✓ Guide, Honing

ITEM	RRP	Ex GST
T0011	119.95	109.05



#### **PYROGRAPHY (WOOD BURNING) - AUSTRALIA**

The Australian made Ironcore has wide acceptance in the Australian School market.

•	Kit, Pyrography, Ironcore, Pokerworker, T3/54
~	Handle, Ironcore Pyrography Tool, Spare

•	Tips,	Ironcore	Pyrograph	Tool,	pkt	10
---	-------	----------	-----------	-------	-----	----

ITEM	RRP	Ex GST
E0121	295.00	268.18
S0600	66.00	60.00
S0621	16.95	15.41







### **PROJECT COMPONENTS & MATERIALS**

Wood Works supplies some sizes of pre-cut plywood and pine for school projects. We supply Radiata Pine in solid wood form and Hoop Pine as plywood, both of which are fully plantation grown in Australia and are sustainably harvested. The pine is supplied fault docked which removes major knots and blemishes and is suited to many school projects. The Hoop Pine ply is a clear, pale, fine grained ply which cuts smoothly and is easily finished. It is ideal for pyrography (wood burning) projects.

ITEM

Minimum orders apply. Some popular sizes are listed below. Other sizes available on request.

#### HOOP PINE FACED PLYWOOD

•	Ply, Hoop Pir	ne, A4,	295mm	x 210mm	x 4mm,	Packs	20
---	---------------	---------	-------	---------	--------	-------	----

- ✓ Ply, Hoop Pine, A4, 295mm x 210mm x 6mm, Packs 40
- ✓ Ply, Hoop Pine, A4, 295mm x 210mm x 9mm, Packs 40
- ✓ Ply, Hoop Pine, A4, 295mm x 210mm x 12mm, Packs 40
- T Ty, 1100p T IIIC, A4, 230Hill X 210Hill X 12Hill, 1 doks
- ✓ Ply, Hoop Pine, A3, 395mm x 295mm x 4mm, Packs 24
- ✔ Ply, Hoop Pine, A3, 395mm x 295mm x 6mm, Packs 24
- Ply, Hoop Pine, A3, 395mm x 295mm x 9mm, Packs 24
   Ply, Hoop Pine, A3, 395mm x 295mm x 12mm, Packs 24
- ✓ Ply, Hoop Pine, 190 x 295 x 4mm, Packs of 48
- ✓ Ply, Hoop Pine, 135 x 255 x 4mm, Packs of 45
   ✓ Ply, Hoop Pine, 295 x 295 x 4mm, Packs of 32
- ✓ Ply, Hoop Pine, 445 x 295 x 4mm, Packs of 20
- ✔ Ply, Hoop Pine, 445 x 310 x 4mm, Bases for Trays, Packs
- → Ply, Hoop Pine, 250mm x 140mm x 4mm, Packs of 72
- Div. Heap Diag. 205-page v. 205-page v. 4-page. Decks of 40.
- Ply, Hoop Pine, 395mm x 395mm x 4mm, Packs of 18
- Ply, Hoop Pine,140mm x 140mm x 4mm, Packs of 128pcs
- Ply, Hoop Pine, 595 x 395 x 4mm, Packs of 12
- ✓ Ply, Hoop Pine,140mm x 140mm x 6mm, Packs of 128pcs
- Ply, Hoop Pine, 370mm x 295mm x 6mm, Packs of 24pcs W4098 please call for quote

	I I EIVI	KKP	EX GS1
	W4000	please call	for quote
	W4001	please call	for quote
_	W4002	please call	for quote
	W4003	please call	for quote
	W4050	please call	for quote
	W4051	please call	for quote
-	W4052	please call	for quote
	W4053	please call	for quote
	W4070	please call	for quote
	W4071	please call	for quote
	W4072	please call	for quote
; -	W4073	please call	for quote
-	W4074	please call	for quote
-	W4075	please call	for quote
s	W4076	please call	for quote
	W4077	please call	for quote
s	W4090	please call	for quote
3	W4098	please call	for quote

DDD

EV CST



# PINE WOOD, FAULT DOCKED

•	42mm	х	12mm	-130mm	long
---	------	---	------	--------	------

- √ 42mm x 12mm -150mm long
- ✓ 42mm x 12mm 210mm long
- √ 42mm x 12mm 295mm long
- 42mm x 12mm 381mm long
- 140mm x 12mm 140mm long
- 140mm x 12mm 210mm long
- √ 140mm x 12mm 300mm long
- 140mm x 12mm 400mm long
- ✓ 140mm x 19mm 310mm
- ✓ 190mm x 19mm 200mm
- 190mm x 19mm 295mm A4
- ✓ 190mm x 19mm 350mm
- ✓ 190mm x 19mm 400mm

ITEM	RRP	Ex GST
W5140	please ca	II for quote
W5145	please ca	II for quote
W5151	please ca	II for quote
W5152	please ca	II for quote
W5153	please ca	II for quote
W5301	please ca	II for quote
W5302	please ca	II for quote
W5303	please ca	II for quote
W5304	please ca	II for quote
W5460	please ca	II for quote
W5481	please ca	II for quote
W5482	please ca	II for quote
W5483	please ca	II for quote
W5484	please ca	II for quote



We supply schools with pre cut and machined components for projects such as serving trays and bookends. Please contact us for your requirements.

#### **HINGES** ITEM **RRP** Ex GST Butt, Brass, 3/4 x 5/8 inch, with 8x2.3mm screws, pair H0200 5.25 4.77 Butt, Brass, 2 1/2 x 5/8 inch, with 8x2.3mm screws, pair H0260 13.09 11.90 Butt, Brass,90deg 1 x 5/8 inch,with 8x2.3mm screws, pair H0261 15.12 13.75 ✓ Knuckle, Brass, 5mm, pkt 6 H0400 13.95 12.68 H0401 ✓ Knuckle, Brass/Nickel Plated, 5mm, pkt 6 13.95 12.68 Hinge, Concealed Knuckle, Soss Type, Steel/Brass Plated

	ninge, Concealed Knuckle, Soss Type, Steel/Brass Plat	ea		
-	8mm, pair	H0449	13.04	11.85
~	10mm x 11mm, pair, #ZH10	H0450	15.32	13.93
~	12mm x 12mm, pair, #ZH12	H0451	15.84	14.40
~	14mm x 16mm, pair, #ZH14	H0452	16.88	15.35
~	16mm x 17mm, pair, #ZH16	H0453	18.72	17.02
~	18mm x 18mm, pair, #ZH18	H0454	21.32	19.38
-	24mm x 25mm, pair, #ZH24	H0455	35.60	32.36

# H0200







#### **CUTLER'S RIVETS - SOLID BRASS, SETS OF 1 SPUR AND 1 SHEATH**

~	6mm head x 8mm shaft,	11mm max material, 10sets
---	-----------------------	---------------------------

- ✓ 6mm head x 10mm shaft, 15mm max material, 10sets
- ▼ 8.5mm head x 16mm shaft, 25mm max material, 6 sets

H0090	0.00	0.00
H0091	0.00	0.00
H0092	0.00	0.00



#### THREADED INSERTS FOR WOOD - SOLID BRASS

	INKEADED INSERTS FOR WOOD - SOLID BRASS			
•	Insert, Threaded, Brass, 3mm, pair	H3900	3.85	3.50
~	Insert, Threaded, Brass, 3mm, dozen	H3901	13.85	12.59
~	Insert, Threaded, Brass, 4mm, pair	H3902	4.06	3.69
~	Insert, Threaded, Brass, 4mm, dozen	H3903	14.62	13.29
~	Insert, Threaded, Brass, 5mm, pair	H3914	4.13	3.76
~	Insert, Threaded, Brass, 5mm, dozen	H3915	14.88	13.53
~	Insert, Threaded, Brass, 6mm, pair	H3904	5.36	4.87
~	Insert, Threaded, Brass, 6mm, dozen	H3905	19.29	17.54
~	Insert, Threaded, Brass, 8mm, pair	H3906	7.23	6.57
~	Insert, Threaded, Brass, 8mm, dozen	H3907	26.01	23.65
~	Insert, Threaded, Brass, 1/4 inch, pair	H3908	5.54	5.04
~	Insert, Threaded, Brass, 1/4 inch, dozen	H3909	19.94	18.13
~	Insert, Threaded, Brass, 5/16 inch, pair	H3910	5.54	5.04
~	Insert, Threaded, Brass, 5/16 inch, dozen	H3911	19.94	18.13
~	Insert, Threaded, Brass, 3/8 inch, pair	H3912	7.23	6.57
•	Insert, Threaded, Brass, 3/8 inch, dozen	H3913	26.01	23.65





# THREADED INSERTS FOR WOOD - FLANGED - ZINC ALLOY

-	Insert, Threaded, Zinc Alloy, 6mm, pair	H3916	1.76	1.60
-	Insert, Threaded, Zinc Alloy, 6mm, dozen	H3917	7.92	7.20
-	Insert, Threaded, Zinc Alloy, 8mm, pair	H3918	2.00	1.82
-	Insert, Threaded, Zinc Alloy, 8mm, dozen	H3919	9.00	8.18
-	Insert, Threaded, Zinc Alloy, 10mm, pair	H3920	2.64	2.40
-	Insert, Threaded, Zinc Alloy, 10mm, dozen	H3921	11.88	10.80
-	Insert, Threaded, Zinc Alloy, 1/4 inch BSW, pair	H3922	2.08	1.89
-	Insert, Threaded, Zinc Alloy, 1/4 inch BSW, dozen	H3923	8.64	7.85
-	Insert, Threaded, Zinc Alloy, 5/16 inch BSW, pair	H3924	2.00	1.82
-	Insert, Threaded, Zinc Alloy, 5/16 inch BSW, dozen	H3925	9.00	8.18



#### **BRASS BUTT HINGES - OPEN 270 DEGREES**

- 2 pair, High 25mm x Long 19mm
- 100 pairs, High 25mm x Long 19mm
- 2 pair, High 38mm x Long 22mm
- 100 pairs, High 38mm x Long 22mm
- 2 pair, High 50mm x Long 28mm
- 100 pairs, High 50mm x Long 28mm
- 2 pair, High 63mm x Long 35mm
- 100 pairs, High 63mm x Long 35mm
- 1 pair, High 75mm x Long 40mm
- 100 pairs, High 75mm x Long 40mm
- 1 pair, High 89mm x Long 50mm 100 pairs, High 89mm x Long 50mm
- 1 pair, High 89mm x Long 50mm
- 100 pairs, High 89mm x Long 50mm

# MICRO WOOD SCREWS - STEEL BRASS PLATED

- Screws, Brass Plated, 4mm x 1.7mm, pkt approx 100
- Screws, Brass Plated, 5mm x 2.0mm, pkt approx 100
- Screws, Brass Plated, 6mm x 1.7mm, pkt approx 100
- Screws, Brass Plated, 6mm x 2.0mm, pkt approx 100
- Screws, Brass Plated, 8mm x 2.3mm, pkt approx 100
- Screws, Brass Plated, 10mm x 2.3mm, pkt approx 100
- Screws, Brass Plated, 12mm x 2.0mm, pkt approx 100
- Screws, Brass Plated, 12mm x 2.3mm, pkt approx 100

IIEW	KKP	EX GS1
H5210	7.19	6.54
H5211	7.80	7.09
H5212	8.41	7.64
H5213	8.41	7.64
H5214	10.20	9.28
H5215	10.20	9.28
H5216	12.61	11.46
H5217	12.61	11.46

#### **BRASS COUNTERSUNK HEAD WOOD SCREWS - SLOTTED HEAD**

- 2 Gauge x 1/4 inch (6mm), Box 100pcs
- 2 Gauge x 3/8 inch (10mm), Box 100pcs
- 2 Gauge x 1/2 inch (12mm), Box 100pcs
- 2 Gauge x 3/4 inch (19mm), Box 100pcs
- 3 Gauge x 3/8 inch (10mm), Box 100pcs
- 3 Gauge x 1/2 inch (12mm), Box 100pcs
- 3 Gauge x 5/8 inch (16mm), Box 100pcs
- 3 Gauge x 3/4 inch (19mm), Box 100pcs
- 4 Gauge x 3/8 inch (10mm), Box 100pcs
- 4 Gauge x 1/2 inch (12mm), Box 100pcs
- 4 Gauge x 5/8 inch (16mm), Box 100pcs
- 4 Gauge x 3/4 inch (19mm), Box 100pcs
- 4 Gauge x 7/8 inch (22mm), Box 100pcs
- 4 Gauge x 1 1/4 inch (32mm), Box 100pcs
- 5 Gauge x 1/2 inch (12mm), Box 100pcs
- 5 Gauge x 5/8 inch (16mm), Box 100pcs
- 5 Gauge x 1 inch (25mm), Box 100pcs
- 6 Gauge x 3/8 inch (10mm), Box 100pcs
- 6 Gauge x 5/8 inch (16mm), Box 100pcs
- 6 Gauge x 3/4 inch (19mm), Box 100pcs
- 6 Gauge x 1 inch (25mm), Box 100pcs
- 6 Gauge x 1 1/4 inch (32mm), Box 100pcs
- 6 Gauge x 1 1/2 inch (38mm), Box 100pcs
- 6 Gauge x 1 3/4 inch (44.5mm), Box 100pcs
- 6 Gauge x 2 inch (50mm), Box 100pcs
- 8 Gauge x 3/8 inch (10mm), Box 100pcs
- 8 Gauge x 1/2 inch (12mm), Box 100pcs
- 8 Gauge x 3/4 inch (19mm), Box 100pcs
- 8 Gauge x 1 inch (25mm), Box 100pcs 8 Gauge x 1 1/4 inch (32mm), Box 100pcs
- 8 Gauge x 1 1/2 inch (38mm), Box 100pcs
- 8 Gauge x 2 inch (50mm), Box 100pcs

RRP TAX EX H0270 7.50 6.82 H0271 240.00 218.18 H0272 9.00 8.18 H0273 280.00 254.55 H0274 10.50 9.55 H0275 309.09 340.00 H0276 13.00 11.82 H0277 390.00 354.55 H0278 11.63 10.57 H0279 730.00 663.64 H0280 17.38 15.80 H0281 1,170.00 1,063.64 H0282 19.25 17.50 H0283 1,270.00 1,154.55

ITEM	RRP	Ex GST
H5210	7.19	6.54
H5211	7.80	7.09
H5212	8.41	7.64
H5213	8.41	7.64
H5214	10.20	9.28
H5215	10.20	9.28
H5216	12.61	11.46
H5217	12.61	11.46

H8310

H8300	11.98	10.89
H8301	14.90	13.55
H8302	14.60	13.27
H8303	16.75	15.23

16.75

15.23

16.18

14.05

H8305	17.80
H8306	19.38

H8306	19.38	17.61
H8307	15.80	14.36
H8308	14.65	13.32

15.45

H8311	21.60	19.64
H8312	15.70	14.27
H8313	17.90	16.27
H8314	20.40	18.55
H8315	22.25	20.23

H8317	16.75	15.23
H8318	19.25	17.50
H8319	25.88	23.52

пози	27.33	24.84
H8322	25.15	22.86
H8323	28.30	25.73
H8324	39.33	35.75
H8325	41.70	37.91
H0336	40 7E	20.00

H8326	42.75	38.86
H8327	54.30	49.36
H8328	55.38	50.34

110330	27.33	24.04
H8331	25.15	22.86
H8332	28.30	25.73
H8333	39.33	35.75

H8334	41.70	37.91
H8335	42.75	38.86
H8336	54.30	49.36

H0270



H5210



H8300



**H**0330

#### **BRUSSO BOX AND CABINET HARDWARE**

#### **PIVOT HINGES - OFFSET - BRASS**

•	33.34mm x 7.94mm leaf, Pair,	#L-23
---	------------------------------	-------

			,	
•	44.45mm x 9	9.53mm	leaf, Pair,	#L-37

•	Long Knuckle	44 45mm	x 9 53mm	leaf Pair	#1 -39

_	Brass.	50.80mm	x 12.7mm	leaf. Pair.	#L-87

H7060	41.79	37.99
H7062	49.30	44.82
H7064	52.31	47.55
H7066	67.34	61.22



### **PIVOT HINGES - INLINE - BRASS**

	33 34mm	x 7.94mm	leaf Pair	#ST-12
~	33.3 <del>4</del> 111111	X / .34111111	icai. Faii.	#31-12

•	44.45mm	x 9.53mm	leaf,	Pair,	#ST-18

,	50.80mm x12.7mm leaf, Pair,	#ST-80
•	oo.ooniin xiz.iiinii loal, i all,	<i>11</i> O 1 O 0

H7090	29.97	27.25
H7092	40.71	37.01
H7094	53.81	48.92



#### H7090



#### **BUTT HINGES - BRASS**

v L	_ift Off.	63.50mm	x 44.45mm.	LEFT	HAND.	Pair
-----	-----------	---------	------------	------	-------	------

<ul> <li>Lift Off, 63.50mm x 44.45mm, RIGHT HA</li> </ul>	ND, Pair
---	----------

- ✓ Triple Knuckle with Finial, 63.50mm x 44.45mm, Pair
- ✓ Full Mortise, 63.50mm x 46.04mm, Pair
- ✓ With Finial, Full Mortise, 63.50mm x 46.04mm, Pair
- ✓ Full Mortise, 63.50mm x 20.64mm, Pair
- → With Finial, Full Mortise, 31.75mm x 20.64mm, Pair
- ✓ Full Mortise, 31.75mm x 26.99mm, Pair
- ✓ With Finial, Full Mortise, 31.75mm x 31.75mm, Pair
- ✓ Full Mortise, 50.8mm x 38.10mm, Pair
- Butt with Finial, Full Mortise, 50.8mm x 38.10mm, Pair

H7120	60.04	54.58
H7121	60.04	54.58
H7122	99.42	90.38
H7123	39.54	35.94
H7125	46.30	42.09
H7127	45.55	41.41
H7129	49.30	44.82
H7131	50.05	45.50
H7133	55.32	50.29
H7135	76.36	69.42
H7137	80.87	73.52

22.99

26.77

38.03

20.90

24.33

34.58

H7150

H7158





H7150

## **BOX FEET - BRASS**

~	12.7mm diam.,	Proj. 9.53 mm,	, Pin diam 7.94 mm, 4 pcs	
---	---------------	----------------	---------------------------	--

- 19.05mm diam., Proj. 14.29 mm, Pin diam. 12.70 mm, 4 pc H7152 45.55 41.41 25.40mm diam., Proj. 3.18 mm, Pin diam. 15.88 mm H7154 32.01 29.10
- 12.70mm diam., Proj. 23.81mm, Pin diam. 9.53 mm, 4 pcs H7156



H7180

#### **BOX HINGES - BRASS - BUTT - 95 deg STAYED**

- 19.05mm long x 12.70mm wide, Pair, #JB-101
- → 31.75mm long x 12.70mm wide, Pair, #JB-102
- → 31.75mm long x 15.88mm wide, Pair, #JB-103
- √ 50.80mm long x 22.23mm wide, Pair, #JB-107 31.75mm long x 25.40mm wide, Pair, #JB-804

H7180	41.04	37.31
H7182	44.05	40.04
H7184	47.05	42.78
H7186	79.37	72.15
H7188	51.56	46.88



#### H7220

#### **BOX HOOKS - BRASS**

- 9.53mm diam., Proj. 23.81 mm, Pin diam.4.76mm, Ea.
- 41.28mm diam., Proj. 28.58 mm, Pin diam. 9.53mm, Ea.

H7220	13.22	12.02
H7222	61.47	55.88





#### HANGING BRACKETS

→ Bracket, Hanging, Brass, 38.10mm x 15.88mm, Pair

H7240	22.99	20.90	

H7240

H7260

#### **BOX KNOBS - SOLID BRASS**

- → 7.94mm diam., 7.94mm Proj., with 4.76mm pin, Each
- ✓ 11.11mm diam., 9.53mm Proj., with 4.76mm pin, Each
- 14.29mm diam., 12.70mm Proj., with 7.94mm pin, Each
- ✓ 17.46mm diam., 15.88mm Proj., with 9.53mm pin, Each

H7260	10.21	9.29
H7262	10.96	9.96
H7264	12.48	11.34
H7266	13 97	12 70





#### **BOX LID STAYS - BRASS - PRICE FOR EACH**

73.03 x 6.35mm Body,12.70mm deep, Anchor pin 6.35mm H7280 38.02 34.56 109.54x9.53mm Body, 19.05mm deep, Anchor pin 11.11mr H7281 63.59 57.81

#### **BOX QUADRANT HINGES - BRASS**

Stayed at 95 degrees, each leaf 25.40mm x 25.40mm, Pair H7290 70.35 63.95 Stayed at 95 degrees, each leaf 38.10mm x 44.45mm, Pair H7291 101.92 92.66

H7280



#### SHELF PINS & SOCKETS - BRASS

•	Socket,3/8 in.	(9.53mm)	dia.x 7/16 in.	(11.11mm), per Doz.	
---	----------------	----------	----------------	---------------------	--

# LATCHES & CATCHES - BRASS

			_				_
_	Latch.	Mortise.	Brass.	.50.80mm	Х	19.05mm.	Ea.

- ✓ Catch, Ball, Brass, with Keeper, 6.35mm diam., Ea.
- ✓ Catch, Ball, Brass, with Keeper, 8.73mm diam., Ea.
- ✓ Catch, Ball, Brass, with Keeper, 11.11mm diam., Ea.

H7330	53.81	48.92
H7332	17.80	16.18
H7334	19.23	17.49
H7336	22.24	20.22

37.28

24.50

33.89

22.28

H7310

H7312

#### **BOX HARDWARE FITTING TEMPLATES**

- Template, Each, #TJ-101
- ▼ Template, Each, #TJ-102
- ✓ Template, Each, #TJ-103
- ✓ for HD-638 Quadrant Hinge , Each, #TJ-638
- ✓ for HD-680 Quadrant Hinge , Each, #TJ-680
- ✓ for Series HD-702 Box Feet , Each, #TJ-702
- for Series JB-804 Series , Each, #TJ-804
- ✓ for Series JB-828 Series Latches, Each, #TJ-828
- for Series JB-766 Series Pulls, Each, #T-766
- for Series JB-804 Butt Hinges , Each, #T-804
- for Series 828 Push Button Latches , Each, #T-828

H7420	58.61	53.28
H7421	58.61	53.28
H7422	58.61	53.28
H7423	58.61	53.28
H7424	58.61	53.28
H7425	58.61	53.28
H7426	58.61	53.28
H7427	58.61	53.28
H7428	58.61	53.28
H7429	58.61	53.28
H7430	ERR	ERR

# H7290



H7330



#### **ESCUTCHEON PINS- BRASS PLATED STEEL**

- 6mm x 1.5mm x 2.5mm Head Diam., per 100
- → 6mm x 1.5mm x 2.5mm Head Diam., per 500
- 8mm x 1.5mm x 2.5mm Head Diam., per 100
- ✓ 8mm x 1.5mm x 2.5mm Head Diam., per 500
- onlin x 1.5min x 2.5min rieau Diam., per 500
- 10mm x 1.5mm x 2.5mm Head Diam., per 100
- ✓ 10mm x 1.5mm x 2.5mm Head Diam., per 500
- ✓ 13mm x 1.5mm x 2.65mm Head Diam., per 100
- ✓ 13mm x 1.5mm x 2.65mm Head Diam., per 500
- ✓ 16mm x 1.5mm x 2.85mm Head Diam., per 100
- 16mm x 1.5mm x 2.85mm Head Diam., per 500
- 19mm x 1.5mm x 3.0mm Head Diam., per 100
- 19mm x 1.5mm x 3.0mm Head Diam., per 500

ITEM	RRP	Ex GST
H0510	9.59	8.72
H0511	29.98	27.25
H0512	8.76	7.96
H0513	31.27	28.43
H0514	11.38	10.34
H0515	40.64	36.94
H0516	10.57	9.60
H0517	40.64	36.94
H0518	12.75	11.59
H0519	53.14	48.31
H0520	13.75	12.50
H0521	68.75	62.50

#### **ESCUTCHEON PINS- SOLID BRASS**

- 3.0x0.58x1.0mm Head Diam, 500pcs .023x1/8
- 6.35x1.0x1.6mm Head Diam, (#20x1/4x0.063), 100pcs
- √ 6.35x1.0x1.6mm Head Diam, (#20x1/4x0.063), 500pcs
- √ 6.35x1.80x3.40mm Head Diam, (#15x1/4x0.030), 100pcs
- 6.35x1.80x3.40mm Head Diam., (#15x1/4x0.030), 500pcs
- 9.5x1.00x2.25mm Head Diam, (#20x3/8x0.063), 100pcs
- 9.5x1.00x2.25mm Head Diam, (#20x3/8x0.063), 500pcs
- 9.5x1.25x2.25mm Head Diam, (#18x3/8x0.086), 100pcs
- 9.5x1.65x3.3mm Head Diam, (#16x3/8x0.130), 500pcs
- 9.5x2.1x4.0mm Head Diam, (#14x3/8x0.150), 100pcs
- 9.5x2.1x4.0mm Head Diam, (#14x3/8x0.150), 500pcs
- 12x2.0x4.0mm Head Diam., 100pcs
- √ 12x2.0x4.0mm Head Diam., 500pcs
- √ 12.5x1.2x2.5mm Head Diam., (#18x1/2), 100pcs
- → 12.5x1.2x2.5mm Head Diam., (#18x1/2), 500pcs
- ✓ 12.5x1.6x3.3mm Head Diam., (#16x1/2), 100pcs
- 12.5x1.6x3.3mm Head Diam., (#16x1/2), 500pcs
- 12.7x1.0x1.6mm Head Diam, (#20x1/2x0.063), 100pcs
- ✓ 12.7x1.0x1.6mm Head Diam, (#20x1/2x0.063), 500pcs
- ✓ 12.7x1.25x2.25mm Head Diam, (#18x1/2x0.086), 100pcs
- ✓ 12.7x1.25x2.25mm Head Diam, (#18x1/2x0.086), 500pcs
- ✓ 13.5x1.15x3.3mm Head Diam, (#16x1/2x0.130), 100pcs
- ✓ 13.5x1.15x3.3mm Head Diam, (#16x1/2x0.130), 500pcs
- ✓ 12.7x1.25x2.25mm Head Diam, (#14x1/2x0.150), 100pcs
- ✓ 12.7x1.25x2.25mm Head Diam, (#14x1/2x0.150), 100pcs
  ✓ 12.7x1.25x2.25mm Head Diam, (#14x1/2x0.150), 500pcs
- ✓ 14x2.0x4.0mm Head Diam., 100pcs
- 14x2.0x4.0mm Head Diam., 500pcs

H0550	12.63	11.48
H0551	7.92	7.20
H0552	31.68	28.80
H0553	11.82	10.75
H0554	47.28	42.98
H0555	8.72	7.93
H0556	34.88	31.71
H0557	9.76	8.87
H0558	39.04	35.49
H0559	12.90	11.73
H0560	51.60	46.91
H0561	19.37	17.61
H0562	84.66	76.96
H0563	9.12	8.29
H0564	26.61	24.19
H0565	11.20	10.18
H0566	33.58	30.52
H0567	8.42	7.65
H0568	33.68	30.62
H0569	8.95	8.14
H0570	35.80	32.55
H0571	9.65	8.77
H0572	38.60	35.09
H0573	11.04	10.04
H0574	44.16	40.15
H0575	21.88	19.89
H0576	95.13	86.48



-	16.0x1.25x2.25mm Head Diam, (#18x5/8x0.086), 100pcs	H0577	12.00	10.91
~	16.0x1.25x2.25mm Head Diam, (#18x5/8x0.086), 500pcs	H0578	48.00	43.64
~	17.0x1.6x3.3mm Head Diam., (#16x5/8), 100pcs	H0579	13.30	12.09
~	17.0x1.6x3.3mm Head Diam., (#16x5/8), 500pcs	H0580	39.85	36.23
~	17.0x2.0x4.3mm Head Diam., (#14x5/8), 100pcs	H0581	17.92	16.29
,	17.0x2.0x4.3mm Head Diam., (#14x5/8), 500pcs	H0582	67.08	60.98
,	19.0x1.00x2.25mm Head Diam, (#20x3/4x0.063), 100pcs	H0583	11.88	10.80
,	19.0x1.00x2.25mm Head Diam, (#20x3/4x0.063), 500pcs	H0584	47.52	43.20
-	19.0x1.25x2.25mm Head Diam, (#18x3/4x0.086), 100pcs	H0585	19.62	17.84
,	19.0x1.25x2.25mm Head Diam, (#18x3/4x0.086), 500pcs	H0586	78.48	71.35
-	19.0x1.65x3.3mm Head Diam, (#16x3/4x0.130), 100pcs	H0587	23.28	21.16
,	19.0x1.65x3.3mm Head Diam, (#16x3/4x0.130), 500pcs	H0588	93.12	84.65
,	20.5x1.2x2.5mm Head Diam., (#18x3/4), 500pcs	H0589	34.57	31.42
,	20.5x2.0x4.3mm Head Diam., (#14x3/4), 100pcs	H0590	16.45	14.95
,	20.5x2.0x4.3mm Head Diam., (#14x3/4), 500pcs	H0591	68.40	62.18
-	21.0x1.6x3.3mm Head Diam., (#16x3/4), 100pcs	H0592	18.12	16.47
,	21.0x1.6x3.3mm Head Diam., (#16x3/4), 500pcs	H0593	60.44	54.94
,	25.4x1.2x2.5mm Head Diam., (#18x1), 100pcs	H0594	18.12	16.47
,	25.4x1.2x2.5mm Head Diam., (#18x1), 500pcs	H0595	60.27	54.79
,	27.0x2.0x4.3mm Head Diam., (#14x1), 100pcs	H0596	38.16	34.69
,	27.0x2.0x4.3mm Head Diam., (#14x1), 500pcs	H0597	80.96	73.60
,	27.0x1.6x3.3mm Head Diam., (#16x1), 100pcs	H0598	23.76	21.60
,	27.0x1.6x3.3mm Head Diam., (#16x1), 500pcs	H0599	79.26	72.06
,	33.5x1.6x3.3mm Head Diam., (#16 1 1/4), 100pcs	H0600	28.56	25.96
,	33.5x1.6x3.3mm Head Diam., (#16 1 1/4), 500pcs	H0601	95.00	86.36
,	33.5x2.0x4.3mm Head Diam., (#14x1 1/4), 100pcs	H0602	53.76	48.87
•	33.5x2.0x4.3mm Head Diam., (#14x1 1/4), 500pcs	H0603	111.92	101.75

#### **ESCUTCHEON PINS- SOLID BRASS NICKEL PLATED**

	2000101120111110 00210 2111100 111011221 211122			
•	6.35 x 1.0 x 1.6mm Head Diam, 100pcs	H0650	8.16	7.42
•	6.35 x 1.0 x 1.6mm Head Diam, 500pcs	H0651	32.64	29.67
•	6.35 x 1.80 x 2.6mm Head Diam, 100pcs	H0652	15.68	14.25
•	6.35 x 1.80 x 2.6mm Head Diam, 500pcs	H0653	62.72	57.02
•	9.8 x 1.00 x 2.4mm Head Diam, 100pcs	H0654	20.10	18.27
•	9.8 x 1.00 x 2.4mm Head Diam, 500pcs	H0655	80.40	73.09
•	9.8 x 1.25 x 2.2mm Head Diam, 100pcs	H0656	20.10	18.27
•	9.8 x 1.25 x 2.2mm Head Diam, 500pcs	H0657	80.40	73.09
•	12.5 x 1.25 x 2.2mm Head Diam, 100 pcs	H0658	22.56	20.51
•	12.5 x 1.25 x 2.2mm Head Diam, 500 pcs	H0659	90.24	82.04



#### RARE EARTH MAGNETS

~	Disc, Neodymium	n, 6mm diam x 2mm thick, pkt 4
---	-----------------	--------------------------------

- ✓ Disc, Neodymium, 6mm diam x 2mm thick, pkt 12
- ✓ Disc, Neodymium, 8mm diam x 5.0mm thick, 4 pcs
- ✓ Disc, Neodymium, 10mm diam x 1.5mm thick, 4 pcs
- ✓ Disc, Neodymium, 10mm diam x 3.0mm thick, 4 pcs
- ✓ Disc, Neodymium, 12mm diam x 5.0mm thick, 4 pcs
- Disc, Neodymium, 12mm diam x 6.6mm thick, 4 pcs

ITEM	RRP	Ex GST
H6000	6.05	5.50
H6001	18.15	16.50
H6002	9.68	8.80
H6003	7.26	6.60
H6004	11.00	10.00
H6005	23.65	21.50
H6006	31.46	28.60



#### **MEDIA STORAGE**

These storage racks for DVD, CD cases are an ideal basis for a school project. Spring finger racks hold in place by the pressure from spring loaded plastic fingers which partly eject the case when it is pressed and disengaged from the rack. These racks are suited to tower use or used flat on their backs in a drawer arrangement.

SP	PRING FINGER STYLE RACK - LH & RH SET	ITEM	RRP	Ex GST
✓ CI	D Insert, holds 20, 1 set, #4196	P0120	9.50	8.64
✓ CI	D Insert, holds 20, 100 Sets, #4196	P0125	708.75	644.32
✓ CI	D Insert, Half Height, holds 10, 1 set, #4141	P0130	8.59	7.81
✓ CI	D Insert, Half Height, holds 10, 100 Sets, #4141	P0135	427.50	388.64
<b>√</b> C[	D Insert, for Double CD Case, holds 10, 1 set, #4198	P0140	12.97	11.79
✓ CI	D Insert, for Double CD Case, holds 10, 100 Sets, #419	P0145	765.00	695.45
<b>→</b> D\	VD Insert, holds 15, 1 set, #4161	P0150	11.88	10.80
✓ D\	VD Insert, holds 15, 100 sets, #4161	P0155	708.75	644.32





#### **GRILLE STYLE**

	Rack CE	) Grille Style	, holds 9, each,	#F\\\\CD_9\\
~	I Vacin, OL	, Oillic Otylo	, moids s, cacin,	#I VV OD-5 V

- Rack, CD, Grille Style, holds 9, 200 pcs, #FWCD-9V
- ✓ Rack, DVD, Grille Style, holds 7, each, #FWDVD-7V
- ✓ Rack, DVD, Grille Style, holds 7, 200 pcs, #FWDVD-7V

#### DRAWER STYLE - LH & RH SET

- → Tray, CD Storage, for Drawer, holds 26 CD's, 1 set
- Tray, CD Storage, for Drawer, holds 26 CD's, 100 sets
- ✓ Tray, DVD Storage, for Drawer, holds 13 DVD's, 1 set
- → Tray, DVD Storage, for Drawer, holds 13 DVD's, 100 sets

#### **TOWER STYLE RACKS**

- → D Style, for CD Storage, holds 8 CD's, each
- → D Style, for CD Storage, holds 8 CD's, 120 pcs
- → D Style, for CD Storage, holds 15 CD's, each
- → D Style, for CD Storage, holds 15 CD's, 100 pcs

P0180 6.83 6.21 P0181 483.75 439.77
P0181 483 75 439 77
P0195 6.83 6.21
P0196 483.75 439.77
P0205 4.97 4.52
P0206 243.00 220.91
P0210 4.97 4.52
P0211 213.75 194.32

4.58

4.87

378.00

522.00

4.16

4.43

343.64

474.55

#### **Drawer Styles**



#### **BALL-POINT PEN MAKING ON THE LATHE**

These ball point pen mechanisms allow turned pens to be made on the lathe. A mandrell to hold the pen sections is strongly advised and a pen mill to square the ends on the sections prior to turning helps produce a high quality result. The brass tubes require a brad point 7mm drill

P0160

P0161

P0170

P0171

- → DATA SHEET Making Twist-Action Ball-Point Pens
- ✓ Pen Sets, Ball Point Twist, Gold Clip, pkt 5
- ✓ Pen Sets, Ball Point Twist, Plain Black Clip, pkt 5
- ✓ Pen Sets, Ball Point Twist, Australia Black Clip, pkt 5
- Tube, 7mm Brass, Spare, 6 pcs
- Mandrell, Pen, for dual 7mm Core tubes, #2 Morse Taper
- Mill, Pen, for 7mm bore tube
- → Drill, Brad Point, 7mm, Stubai

HEM	RRP	EX GS I
DS001	2.00	1.82
P0003	24.95	22.68
P0001	24.95	22.68
P0005	24.95	22.68
P0029	3.20	2.91
A0295	39.00	35.45
A0299	54.00	49.09
T3534	6.50	5.91
	DS001 P0003 P0001 P0005 P0029 A0295 A0299	DS001 2.00 P0003 24.95 P0001 24.95 P0005 24.95 P0029 3.20 A0295 39.00 A0299 54.00





P0003 - P0005



A0295



T3534



#### SALT & PEPPER MILL GRINDERS ON THE LATHE

Salt and pepper mills are a popular project for wood turners. The ready availability of mechanisms - metal for pepper and hard plastic for salt - requires only the mill body and top to be made. Any wood can be used with the possible exception of highly scented or resinous woods which may tend to taint the contents.

- → Mill, Salt, Kit, Silver Knob, 5 inch, #S1005
- Mill, Salt, Kit, Silver Knob, 7 inch, #S1010
- → Mill, Salt, Kit, Silver Knob, 8 inch, #S1015
- → Mill, Salt, Kit, Silver Knob, 10 inch, #S1020
- → Mill, Salt, Kit, Silver Knob, 12 inch, #S1030
- ✓ Mill, Salt, Kit, Silver Knob, 15 inch, #S1040
- Mill, Salt, Kit, Silver Knob, 17 inch, #S1050
- Mill, Salt, Kit, Brass Knob, 5 inch, #S1005B
- ✓ Mill, Salt, Kit, Brass Knob, 7 inch, #S1010B
- ✓ Mill, Salt, Kit, Brass Knob, 8 inch, #S1015B
- → Mill, Salt, Kit, Brass Knob, 10 inch, #S1020B
- ✓ Mill, Salt, Kit, Brass Knob, 12 inch, #S1030B
- Mill, Salt, Kit, Brass Knob, 15 inch, #S1040B
- → Mill, Salt, Kit, Brass Knob, 17 inch, #S1050B

**RRP Ex GST** ITEM P0720 10.09 9.17 P0721 10.26 9.33 P0722 10.46 9.51 P0723 10.85 9.86 P0724 11.05 10.04 P0725 11.63 10.57 P0726 11.73 10.66

P0728	9.50	8.64
P0729	9.68	8.80
P0730	9.87	8.98
P0731	10.26	9.33
P0732	10.46	9.51
P0733	11.05	10.04
P0734	11.14	10.13

Pepper Kits



ı		M''I D
	~	Mill, Pepper, Kit, Black Knob, 5 inch, #S2005
	•	Mill, Pepper, Kit, Black Knob, 7 inch, #S2010
	~	Mill, Pepper, Kit, Black Knob, 8 inch, #S2015
	~	Mill, Pepper, Kit, Black Knob, 10 inch, #S2020
	~	Mill, Pepper, Kit, Black Knob, 12 inch, #S2030
	•	Mill, Pepper, Kit, Black Knob, 15 inch, #S2040
	~	Mill, Pepper, Kit, Black Knob, 17 inch, #S2050
•		

~	Will, Pepper, Kit, Black Knob, 15 Inch, #52040
•	Mill, Pepper, Kit, Black Knob, 17 inch, #S2050
•	Mill, Pepper, Kit, Brass Knob, 5 inch, #S2005B
•	Mill, Pepper, Kit, Brass Knob, 7 inch, #S2010B
•	Mill, Pepper, Kit, Brass Knob, 8 inch, #S2015B
•	Mill, Pepper, Kit, Brass Knob, 10 inch, #S2020B
•	Mill, Pepper, Kit, Brass Knob, 12 inch, #S2030B
•	Mill, Pepper, Kit, Brass Knob, 15 inch, #S2040B
•	Mill, Pepper, Kit, Brass Knob, 17 inch, #S2050B

P0740	11.05	10.04
P0741	11.63	10.57
P0742	11.73	10.66
P0744	9.50	8.64
P0745	9.68	8.80
P0746	9.87	8.98
P0747	10.26	9.33
P0748	10.46	9.51
P0749	11.05	10.04
P0750	11.14	10.13

RRP

165.00

40.28

5.45

10.09

10.26

10.46

10.85

9.17

9.33

9.51

9.86

**Ex GST** 

150.00

36.62

4.96

P0736

P0737

P0738

P0739

	Campanio.	(aft)
10		

Salt Kits

#### MILL MAKING EQUIPMENT

- → Drill, HSS, Jobber, Brad Point, #2 Morse Drive, 24.0mm
- → Borer, Universal, 35mm, Stubai
- → Drill, Brad Point, 6mm, Stubai

	T38	33	
-			
5			



ITEM

T3833

T0339


T3533



# TOY WHEEL CUTTERS

- ✓ Cutter, Toy Wheel, 40mm TWC40 1/2
- ✓ Cutter, Toy Wheel, 50mm TWC 50 1/2
- ✓ Cutter, Toy Wheel, 60mm TWC 60 1/2

T0200	108.65	98.77
T0202	115.50	105.00
T0201	115.50	105.00



#### **INSERT & CONCEALED MECHANISM QUARTZ CLOCKS**

Concealed mechanism clocks can be recessed into the rear side of a piece of wood and hands fitted to the shank which protrudes through the body. There are numerous hand patterns to suit concealed mechanism clocks and numerals in Arabic & Roman styles. Purchase price of items P4007. P4008 & P4009 includes a set of hands and numerals of choice.

Insert clocks can be pressed into a machined or drilled front recess. Batteries are not supplied.

#### **CONCEALED QUARTZ MECHANISMS**

- ✓ Clock, with numerals & hands, 8mm short shaft
- ✓ Clock, with numerals & hands,15mm medium shaft
- ✓ Clock, with numerals & hands, 21mm long shaft

## CLOCK FACE NUMERALS

- ✓ ARABIC GOLD, 10mm (3/8inch)
- ✓ ARABIC GOLD, 16mm (5/8inch)
- ✓ ARABIC GOLD, 19mm (3/4inch)
- ✓ ARABIC GOLD, 25mm (1inch)
- ✓ ARABIC BLACK, 10mm (3/8 inch)
- ✓ ARABIC BLACK, 16mm (5/8inch)
- ARABIC BLACK, 19mm (3/4 inch)
- ARABIC BLACK, 25mm (1 inch)
- → ROMAN GOLD, 10mm (3/8 inch)
- → ROMAN GOLD, 16mm (5/8inch)
- → ROMAN GOLD, 19mm (3/4inch)
- → ROMAN GOLD, 25mm (1 inch)

ITEM	RRP	Ex GST
P4007	12.60	11.45
P4008	12.60	11.45
P4009	12.60	11.45

ITEM	RRP	Ex GST
P4150	4.05	3.68
P4151	4.20	3.82
P4152	4.65	4.23
P4153	4.95	4.50
P0241	4.05	3.68
P4155	4.20	3.82

P4155	4.20	3.82
P0247	4.65	4.23
P0249	4.95	4.50
P0231	4.05	3.68
P4157	4.20	3.82
P4158	4.65	4.23
P0239	4 95	4 50





**Roman Style** 



#### **CLOCK FACE HANDS FOR CONCEALED QUARTZ MOVEMENTS**

For pictures of alternative clock hand patterns search using the Item Code in the SEARCH FOR BOX on the HOME PAGE at www.thewoodworks.com.au

#### for 50mm to 80mm DIALS

~	for 50mm to 80mm DIALS, 35mm, GOLD, Type B
•	for 50mm to 80mm DIALS, 35mm, Black, Type B
~	for 50mm to 80mm DIALS, 35mm, Gold, Type C
~	for 50mm to 80mm DIALS, 35mm, Black, Type C
~	for 50mm to 80mm DIALS, 38mm, Gold, Type D
-	for 50mm to 80mm DIALS, 38mm, Gold, Type E

for 50mm to 80mm DIALS, 38mm, Black, Type E

#### for 90mm to 125mm DIALS

~	for 90mm to 125mm DIALS, 44mm, Gold, Type A
~	for 90mm to 125mm DIALS, 48mm, Black, Type B
~	for 90mm to 125mm DIALS, 52mm, Gold, Type C
~	for 90mm to 125mm DIALS, 52mm, Black, Type C
~	for 90mm to 125mm DIALS, 52mm, Gold, Type D
v	for 90mm to 125mm DIALS, 54mm, Black, Type E
•	for 90mm to 125mm DIALS, 57mm, Gold, Type F
v	for 90mm to 125mm DIALS, 57mm, Black, Type F
v	for 90mm to 125mm DIALS, 64mm, Gold, Type G

for 90mm to 125mm DIALS, 64mm, Black, Type G

#### for 150mm to 210mm DIALS

~	for 150mm to 210mm DIALS, 76mm, Gold, Type A
~	for 150mm to 210mm DIALS, 76mm, Black, Type A
~	for 150mm to 210mm DIALS, 79mm, Gold, Type B
~	for 150mm to 210mm DIALS, 79mm, Black, Type B
~	for 150mm to 210mm DIALS, 86mm, Black, Type C
~	for 150mm to 210mm DIALS, 89mm, Gold, Type D
~	for 150mm to 210mm DIALS, 89mm, Black, Type D
~	for 150mm to 210mm DIALS, 103mm, Black, Type E
~	for 150mm to 210mm DIALS, 105mm, Gold, Type F
~	for 150mm to 210mm DIALS, 105mm, Black, Type F

#### HANDS- SECOND HAND SWEEPS

- for Quartz Clock Movement, 61mm, Gold, Type G
   for Quartz Clock Movement, 61mm, Black, Type G
- for Quartz Clock Movement, 61mm, Red, Type G

#### **INSERT CLOCK MECHANISMS / MOVEMENTS**

- 36mm diameter, GOLD ARABIC
- 36mm diameter, GOLD ROMAN
- → 36mm diameter, WHITE ARABIC
- → 36mm diameter, WHITE ROMAN
- 36mm diameter, BLACK ARABIC
- 36mm diameter, CREAM ARABIC
- 36mm diameter, CREAM ROMAN
- √ 50mm diameter, GOLD ROMAN
- → 50mm diameter, WHITE ROMAN
- √ 50mm diameter, GOLD ARABIC
- ✓ 50mm diameter, WHITE ARABIC
- √ 50mm diameter, BLACK ROMAN
- √ 73mm diameter, GOLD ARABIC
- → 73mm diameter, GOLD ROMAN
- √ 73mm diameter, WHITE FANCY ARABIC
- → 73mm diameter, WHITE FANCY ROMAN
- 73mm diameter, IVORY FANCY ARABIC
- 73mm diameter, IVORY FANCY ROMAN
- 90mm diameter, GOLD ARABIC
- 90mm diameter, GOLD ROMAN
- 90mm diameter, WHITE FANCY ARABIC

ITEM	RRP	Ex GST
P4041	2.90	2.64
P4042	2.90	2.64
P4043	2.90	2.64
P4044	2.90	2.64
P4045	2.90	2.64
P4046	2.90	2.64
P4047	2.90	2.64

P4060	2.95	2.68
P4062	2.95	2.68
P4063	2.95	2.68
P4064	2.95	2.68
P4065	2.95	2.68
P4066	2.95	2.68
P4067	2.95	2.68
P4068	2.95	2.68
P4069	2.95	2.68
P4070	2.95	2.68

P4080	3.35	3.05
P4081	3.35	3.05
P4082	3.35	3.05
P4083	3.35	3.05
P4084	3.35	3.05
P4085	3.35	3.05
P4086	3.35	3.05
P4087	3.35	3.05
P4088	3.35	3.05
P4089	3.35	3.05

P4110	2.70	2.45
P4111	2.70	2.45
P4112	2.70	2.45

P3000	23.98	21.80
P3001	23.98	21.80
P3002	23.98	21.80
P3003	23.98	21.80
P3004	23.98	21.80
P3005	23.98	21.80
P3006	23.98	21.80
P3007	23.98	21.80
P3020	27.94	25.40
P3021	27.94	25.40
P3022	27.94	25.40
P3023	27.94	25.40
P3024	27.94	25.40
D2040	20.00	22.22
P3040	28.60	26.00
P3041	28.60	26.00
P3042	28.60	26.00
P3043	28.60	26.00
P3044	28.60	26.00
P3045	28.60	26.00
P3060	28.60	26.00

28.60

28.60

26.00

26.00

## **Example hand set**



#### P3020



P3061

P3062

- 90mm diameter, WHITE FANCY ROMAN
- 90mm diameter, IVORY FANCY ARABIC
- 90mm diameter. IVORY FANCY ROMAN
- 90mm diameter, BLACK ROMAN
- 130mm diameter, IVORY FANCY ARABIC
- 130mm diameter, GOLD ROMAN
- 130mm diameter, GOLD ARABIC
- 160mm diameter, GOLD ROMAN
- 160mm diameter, IVORY FANCY ARABIC
- 160mm diameter, GOLD ARABIC

#### **HOT BREAD KNIFE KITS**

- Knife, Blade, Hot Bread, #C3005
- Cover, for Hot Bread Knife, #C3020

P3063	28.60	26.00
P3064	28.60	26.00
P3065	28.60	26.00
P3066	28.60	26.00
P3080	52.14	47.40
P3081	52.14	47.40
P3082	52.14	47.40
P3090	59.07	53.70
P3091	59.07	53.70
P3092	59.07	53.70
P0590		
FU39U	poa	poa

P0590	poa	poa
P0593	poa	poa



### **CONSUMABLES**

#### **ADHESIVES**

All our PVA range is made in Australia from quality fresh ingredients.

Our renowned "yellow" PVA has superior strength, good sandability and quick cure.

The crosslinking PVA has the strongest bond of them all.

The White Sandable is an ultra hard cure PVA which cures slowly & allows time for complex glue ups. ITÉM **RRP** Ex GST

	–	17171	LX 00.
✓ White Crosslinking PVA, T3275, 500ml, (decant)	C0097	12.37	11.24
→ White Crosslinking PVA, T3275, 1 Litre, (decant)	C0098	15.20	13.82
→ White Crosslinking PVA, T3275, 5 litres, (decant)	C0099	54.00	49.09
→ White Crosslinking PVA, T3275, 20 litres	C0100	190.40	173.09
✓ White Sandable PVA, Slow Cure, T3223, 500ml, (decant)	C0103	11.84	10.77
✓ White Sandable PVA, Slow Cure, T3223, 1 Litre, (decant)	C0104	14.40	13.09
→ White Sandable PVA, Slow Cure, T3223, 5 Litres (decant)	C0105	50.40	45.82
→ White Sandable PVA, Slow Cure, T3223, 20 Litres	C0106	176.80	160.73
✓ Water Resistant, Yellow PVA, T3250, 500ml, (decant)	C0109	11.46	10.42
✓ Water Resistant, Yellow PVA, T3250, 1 Litre, (decant)	C0110	13.82	12.56
✓ Water Resistant, Yellow PVA, T3250, 5 Litres (decant)	C0111	47.79	43.45
✓ Water Resistant, Yellow PVA, T3250, 20 Litres	C0112	166.94	151.76



#### **ANIMAL PROTEIN GLUE**

- Adhesive, Hide, Pearl Joiners, 1kg
- Adhesive, Hide, Pearl Joiners, 2kg
- Adhesive, Hide, Pearl Joiners, 5kg

#### **BISCUITS**

- Biscuits, #0, pkt 100
- Biscuits, #10, pkt 100
- Biscuits, #20, pkt 100
- Biscuits, #0, box 1000
- Biscuits, #10, box 1000
- Biscuits, #20, box 1000

C0081	19.20	17.45
C0082	35.50	32.27
C0083	84.95	77.23

ITEM	RRP	Ex GST
C0400	9.90	9.00
C0401	9.90	9.00
C0402	9.90	9.00
C0410	62.70	57.00
C0411	65.00	59.09
C0412	65.00	59.09





#### FLUTED DOWEL - TASMANIAN OAK - CUT TO LENGTH

- 6mm x 38mm, 72 grams (approx. 100 pcs)
- 6mm x 38mm, 720 gms (approx 1000 pcs)
- 8mm x 44mm, 141 grams (approx 100 pcs)
- 8mm x 44mm, 1410 grams (approx 1000 pcs) 8mm x 50mm, 158 grams (approx 100 pcs)
- 8mm x 50mm, 1580 grams (approx. 1000 pcs) 10mm x 44mm, 248 grams (approx 100 pcs)
- 10mm x 44mm, 2480 grams (approx 1000 pcs)
- 10mm x 50mm, 282 grams (approx. 100 pcs) 10mm x 50mm, 2820 gms (approx. 1000 pcs)
- 10mm x 62mm, 349 grams (approx 100 pcs)
- 10mm x 62mm, 3490 grams (approx 1000 pcs)

C0414	5.76	5.24
C0415	57.59	52.36
C0416	6.56	5.96
C0417	65.61	59.64
C0418	7.46	6.78
C0419	74.56	67.78
C0420	9.36	8.51
C0421	93.57	85.06
C0422	10.63	9.67
C0423	106.33	96.67
C0424	13.19	11.99
C0425	131.86	119.88

**Dowels** 



#### **FESTO DOMINO SLIP TENONS**

~	5 x 30mm,	1800 pcs	(6 pks x 300), #493 296	

6 x 40mm,	1140	pcs	(6	pks x	190).	#493 297	

- 8 x 40mm, 780 pcs (6 pks x 130), #493 298
- 8 x 50mm, 600 pcs (6 pks x 100), #493 299
- 10 x 50mm, 510 pcs (6 pks x 85), #493 300

#### **PICTURE FRAMING V NAILS**

V Nai	s, 7mm	Hardwood,	framing,	pkt 400
-------	--------	-----------	----------	---------

	V/ Naila	10mm	Hardwood	framina	nkt 400
~	v ivalis,	10111111	Hardwood,	manning,	pkt 400

	V/ Naile	15mm	Hardwood,	framing	nkt 400
~	v ivalis,	13111111	naiuwoou,	nanning,	pkt 400

#### C0821 9.95 9.05 C0822 10.95 9.95 C0824 12.95 11.77

184.00

184.00

184.00

184.00

184.00

167.27

167.27

167.27

167.27

167.27

#### **PUTTY BRICKS - AUSTRALIAN MADE**

Ideal for repair of dings & gaps. Boxes of 20 mixed colours, bags of 5 of any one colour & bags of 10 wood tones.

- 75 x 15 x 15mm, 10 WOOD TONE colours
- 75 x 15 x 15mm, 20 colours, #APB 1
- 5 pcs, 75 x 15 x 15mm, Pine, #WPB 20
- 5 pcs, 75 x 15 x 15mm, Baltic, #WPB 43

C3945	29.98	27.25
C3946	49.95	45.41
C3958	14.95	13.59
C3981	14.95	13.59

#### **Dominos**



**PUTTY 'BRICKS'** 



#### SHELLAC

Cured shellac is safe enough to be rated as a food and offers a quick and safe method of achieving a quality finish on numerous projects. The best method of ensuring a long shelf life and superior finishes is to use DAA (Denatured Absolute Alcohol) Spirits. It is important that the DAA can be appropriately stored.

A standard concentrate is simply and quickly made up using a 1 to 4 ratio of dry shellac by weight to DAA spirits by liquid volume e.g. 500gms mixed with 2 litres of DAA.

C0394

C0395

C0396

C0397

C0398

#### **DAA SPIRITS**

~	Spirits, DAA,	100% Industrial Alcohol, 1 litre	
_	Spirits, DAA,	100% Industrial Alcohol, 5 litres	

Spirits, DAA, 100% Industrial Alcohol, 20 litres

#### C2267 42.95 C2270 115.58

#### **DRY SHELLACS**

<ul> <li>Shellac, Orange Flake, Waxy, 125g</li> </ul>

- Shellac, Orange Flake, Waxy, 250gms
- Shellac, Orange Flake, Waxy, 500gms Shellac, Orange Flake, Waxy, 1 kilo Shellac, Orange Flake, Waxy, 5 kilo
- ✓ Shellac, Button, Waxy, 125gms
- Shellac, Button, Waxy, 250gms
- Shellac, Button, Waxy, 500gms
- Shellac, Button, Waxy, 1 kilo
- Shellac, Button, Waxy, 5 kilo
- Shellac, Garnet Flake, De-Waxed, 125gms
- Shellac, Garnet Flake, De-Waxed, 250gms
- Shellac, Garnet Flake, De-Waxed, 500gms
- Shellac, Garnet Flake, De-Waxed, 1 kilo
- Shellac, Garnet Flake, De-Waxed, 5 kilo
- Shellac, Ruby Flake, De-Waxed 125gms
- Shellac, Ruby Flake, De-Waxed 250gms
- Shellac, Ruby Flake, De-Waxed 500gms
- Shellac, Ruby Flake, De-Waxed 1 kilo
- Shellac, Ruby Flake, De-Waxed 5 kilo
- → Shellac, Blonde, De-Waxed, Flake, 125gms
- ✓ Shellac, Blonde, De-Waxed, Flake, 250gms
- → Shellac, Blonde, De-Waxed, Flake, 500gms Shellac, Blonde, De-Waxed, Flake, 1 kilo
- Shellac, Blonde, De-Waxed, Flake, 5 kilo

ITEM **RRP Ex GST** C2266 16.95 15.41 39.05 105.07

C2410	5.83	5.30
C2411	10.69	9.72
C2412	19.44	17.67
C2413	32.66	29.69
C2414	163.28	148.43

C2420	12.49	11.35
C2421	22.89	20.81
C2422	41.63	37.84
C2423	69.93	63.57
C2424	349.65	317.86

C2430	11.63	10.57
C2431	21.31	19.38
C2432	38.75	35.23
C2433	65.10	59.18
C2434	325.50	295.91

C2440	12.38	11.25
C2441	22.69	20.63
C2442	41.25	37.50
C2443	69.30	63.00
C2444	346.50	315.00

C2460	12.90	11.73
C2461	23.65	21.50
C2462	43.00	39.09
C2463	72.24	65.67
C2464	364 20	228 36

#### **Orange**



**Button** 



**Garnet** 



Ruby



**Blonde** 



00440

~	Shellac, White, Waxy, Granulated, 125gms	C2490	12.86
•	Shellac, White, Waxy, Granulated, 250gms	C2491	23.58
•	Shellac, White, Waxy, Granulated, 500gms	C2492	42.88
~	Shellac, White, Waxy, Granulated, 1 kilo	C2493	72.03
•	Shellac, White, Waxy, Granulated, 5 kilo	C2494	360.15

,	Shellac, White, De-Waxed, Granulated, 125gms	C2500	11.79	10.72
,	Shellac, White, De-Waxed, Granulated, 250gms	C2501	21.62	19.66
•	Shellac, White, De-Waxed, Granulated, 500gms	C2502	39.31	35.74
•	Shellac, White, De-Waxed, Granulated, 1 kilo	C2503	66.05	60.04
,	Shellac, White, De-Waxed, Granulated, 5 kilo	C2504	330.23	300.20

**Waxy White** 

11.69

21.44

38.98

65.48 327.41

**De-Waxed White** 





**Pure Tung Oil** 



#### **READY MIX - supplied in Dangerous Goods Packaging REGULAR FRENCH POLISH**

✓ Orange, Ready Mixed, 1 litre DG Packed	C2510	35.34	32.13
<ul> <li>Orange, Ready Mixed, 5 litre DG Packed</li> </ul>	C2511	102.72	93.38
✓ Waxy White, Ready Mixed, 1 litre DG Packed	C2513	57.71	52.46
✓ Waxy White, Ready Mixed, 5 litre DG Packed	C2514	173.01	157.28
→ De Waxed White, Ready Mixed, 1 litre DG Packed	C2516	49.83	45.30
→ De Waxed White, Ready Mixed, 5 litre DG Packed	C2517	148.26	134.78
→ Blonde, Dewaxed, Ready Mixed, 1 litre DG Packed	C2522	64.01	58.19
→ Blonde, Dewaxed, Ready Mixed, 5 litre DG Packed	C2523	192.81	175.28

	•	biolide, bewaked, ready wiked, o little bo i doked	02020	132.01	17 3.20
		HARD FRENCH POLISH			
	~	Orange, Ready Mixed, HARD, 1 litre DG Packed	C2526	123.54	112.31
	•	Orange, Ready Mixed, HARD, 5 litre DG Packed	C2527	379.92	345.38
ĺ	•	Waxy White, Ready Mixed, HARD, 1 litre DG Packed	C2529	145.91	132.64
	•	Waxy White, Ready Mixed, HARD, 5 litre DG Packed	C2530	450.21	409.28
	•	De Waxed White, Ready Mixed, HARD, 1 litre DG Packed	C2532	138.03	125.48
	•	De Waxed White, Ready Mixed, HARD, 5 litre DG Packed	C2533	425.46	386.78
ĺ	•	Blonde, Dewaxed, Ready Mixed, HARD, 1 litre DG Packed	C2538	88.11	80.10
	~	Blonde, Dewaxed, Ready Mixed, HARD, 5 litre DG Packed	C2539	359.91	327.19

#### **FINISHING OILS & WAXES**

Our tung oil is pure whereas most formulations marketed as tung oil contain only a small amount of tung oil. Tung oil is non toxic, applicable for use as a finish on kitchen utensils and children's toys.

~	Oil, Tung, Pure, 1 Litre	C2891	45.94	41.76
~	Oil, Tung, Pure, 5 Litre	C2893	172.44	156.76
•	Wax, Bees, Mirowax 738, 230gms (re-packed)	C7035	19.45	17.68
•	Wax, Bees, 3 kilos	C7037	194.55	176.86
	VELCRO HOOK STARTER PADS			
~	200mm, Pressure Sensitive Adhesive Backing	A4138	9.29	8.45
~	230mm, Pressure Sensitive Adhesive Backing	A4139	15.68	14.25
~	250mm, Pressure Sensitive Adhesive Backing	A4140	20.01	18.20
~	280mm, Pressure Sensitive Adhesive Backing	A4141	26.40	24.00
~	300mm, Pressure Sensitive Adhesive Backing	A4142	29.70	27.00
•	350mm, Pressure Sensitive Adhesive Backing	A4143	33.53	30.48
	ABRASIVE DISCS - VELCRO BACKED			
~	10 discs, 250mm, 40grit	D3315	43.80	39.82
~	10 discs, 250mm, 60grit	D3316	39.60	36.00
~	10 discs, 250mm, 80grit	D3317	38.40	34.91
•	10 discs, 250mm, 120grit & finer	D3318	38.40	34.91
~	10 discs, 300mm, 40grit	D3323	57.60	52.36
•	10 discs, 300mm, 60grit	D3324	55.60	50.55
~	10 discs, 300mm, 80grit	D3325	53.20	48.36
~	10 discs, 300mm, 120grit & finer	D3326	54.20	49.27
~	10 discs, 350mm, 40grit	D3331	83.20	75.64
~	10 discs, 350mm, 60grit	D3332	80.40	73.09
•	10 discs, 350mm, 80grit	D3333	77.40	70.36
•	10 discs, 350mm, 120grit & finer	D3334	78.80	71.64
	PLAIN CLOTH BACK DISCS			

Disc, Abrasive, Cloth Back, 10 discs, 350mm, 60grit





D3380

127.05

115.50

### **BOBBIN SANDER SLEEVES**

We can supply for any machine in a range of grits. Minimum orders apply - please email or call.

-	20mm x 115mm, 60 grit, (7 pcs)	D3976
~	20mm x 115mm, 80 grit, (7 pcs)	D3978
~	25.4mm x 115mm, 60 grit, (7 pcs)	D3970
~	25.4mm x 115mm, 80 grit, (7 pcs)	D3973
~	38mm x 115mm, 60 grit, (7 pcs)	D3971
~	38mm x 115mm, 80 grit, (7 pcs)	D3974
~	50.8mm x 115mm, 60 grit, (7 pcs)	D3972
~	50.8mm x 115mm, 80 grit, (7 pcs)	D3975
~	76.2mm x 115mm, 60 grit, (7 pcs)	D3977
~	76.2mm x 115mm, 80 grit, (7 pcs)	D3979
'		
-	5/8 in diam. x 6 in long, 60 grit, 10 pieces	D3980

D3976	56.56	51.42
D3978	52.36	47.60
D3970	62.72	57.02
D3973	58.10	52.82
D3971	69.30	63.00
D3974	64.54	58.67
D3972	83.02	75.47
D3975	76.86	69.87
D3977	112.42	102.20
D3979	104.16	94.69
D3980	50.94	46.31

50	

<b>'</b>	oro in diam. X o in long, oo gni, To pieces
~	5/8 in diam. x 6 in long, 80 grit, 10 pieces
~	5/8 in diam. x 6 in long, 120 grit, 10 pieces
~	5/8 in diam. x 6 in long, 150 grit, 10 pieces
~	1 1/2 in diam. x 6 in long, 60 grit, 10 pieces
~	1 1/2 in diam. x 6 in long, 80 grit, 10 pieces
~	1 1/2 in diam. x 6 in long, 120 grit, 10 pieces
~	1 1/2 in diam. x 6 in long, 150 grit, 10 pieces
~	2 in diam. x 6 in long, 60 grit, 10 pieces
~	2 in diam. x 6 in long, 80 grit, 10 pieces
~	2 in diam. x 6 in long, 120 grit, 10 pieces
~	2 in diam. x 6 in long, 150 grit, 10 pieces

D3980	50.94	46.31
D3981	50.94	46.31
D3982	50.94	46.31
D3983	50.94	46.31
D3985	70.02	63.65
D3986	70.02	63.65
D3987	70.02	63.65
D3988	70.02	63.65
D3990	83.52	75.93
D3991	83.52	75.93
D3992	83.52	75.93
D3993	83.52	75.93



#### **SANDING BELTS**

We can supply for any machine in a range of grits

	we can supply for any machine in a range of grits			
-	Standard, 610 x 100 x 24 grit, Box of 10	D4028	34.95	31.77
~	Standard, 610 x 100 x 40 grit, Box of 10	D4029	34.95	31.77
~	Standard, 610 x 100 x 60 grit, Box of 10	D4030	34.95	31.77
~	Standard, 610 x 100 x 80 grit, Box of 10	D4031	34.95	31.77
~	Standard, 610 x 100 x 100 grit, Box of 10	D4032	34.95	31.77
~	Standard, 610 x 100 x 120 grit, Box of 10	D4033	34.95	31.77
~	Standard, 610 x 100 x 150 grit, Box of 10	D4034	34.95	31.77
~	Standard, 610 x 100 x180 grit, Box of 10	D4035	34.95	31.77
~	Standard, 610 x 100 x 220 grit, Box of 10	D4036	34.95	31.77
~	Standard, 610 x 100 x 240 grit, Box of 10	D4037	34.95	31.77
~	Standard, 610 x 100 x 320 grit, Box of 10	D4038	34.95	31.77



### **DISC CEMENT**

✓ Cement, Disc, for Disc Sander cloth back pads, 500ml C0390 42.15 38.32

	VELCRO BACKED ABRASIVE SHEETS FOR HAND FLO	ATS 115mm	x 130mm	
~	80grit, Box of 100	D3602	99.61	90.56
-	100grit, Box of 100	D3603	91.63	83.30
-	120grit, Box of 100	D3604	91.63	83.30
-	150grit, Box of 100	D3605	91.63	83.30
-	180grit, Box of 100	D3606	91.63	83.30
~	240grit, Box of 100	D3607	91.63	83.30
•	Restorer, Abrasive Disc /Belt	A4135	5.80	5.27



#### WOOD CARVING

Wood Works carries the largest and most comprehensive range of woodcarving tools in Australia. The hand forged #52 series tool from Stubai in the Austrian Tyrol are an excellent starter kit. The hand forged #55 series are a slightly longer pattern with polished flute.

lent starter kit. The hand forged #55 series are a slightly longer pattern with polished flute.

- → Chisel, Carving, Set, Boxed, Stubai, 52 Series, 6 piece
- ✓ Chisel, Carving, Set, Stubai, 55 Series, 6 Piece
- → Chisel, Carving, Set, Stubai, Micro Series, 6 Piece
- ✓ Mallet, Carver's, 70mm Diam, 400gram, #511001
- ✓ Screw, Carver's, 150mm x 10mm, #3506

I I ⊏IVI	KKP	EX GOI
F4925	106.76	97.06
F4932	198.88	180.80
F4942	121.68	110.62
T3365	29.25	26.59
E2180	56.75	51.59



F4981







### **HAND TOOLS**

We supply in excess of 8,000 items from manufacturers across the world. The hand tool listing below is only a small part of the range we offer and is filtered by our long experience in dealing with schools. Please contact us for items not listed below. We refuse to market what amounts to landfill and, as a response to the extremely poor quality tools and equipment being offered to many schools and the concerns expressed to us more or less daily by teachers having to use these items, we also note the country of origin and recognised brands of the tools we sell. All our tools come with warranty and all have brands which are meaningful and manufactured by reputable makers.

#### WARRINGTON (CROSS PEIN) TACK HAMMERS & DUAL PINION EGGBEATER DRILL - GERMAN MADE

- ✓ 125g, (4.5 oz), #2008 / 125
- ✓ 180g, (6oz), #2008 / 180
- → Drill, Hand, Double Pinion, 10mm, #2551

T4369	39.23	35.66
T4370	43.10	39.18
T0495	56.45	51.32





#### CABINET SCRAPERS- GERMAN AND AUSTRIAN MADE-KIRSCHEN AND STUBAI

- 1.2mm, 140mm x 50mm, Rectangular Heavy Gauge
- ✓ 1.2mm, 160mm x 60mm, Rectangular Heavy Gauge
- 0.6mm, 150mm x 50mm, Rectangular
- 0.8mm, 150mm x 50mm, Rectangular
- 0.8mm, 150mm x 50mm, Concave/Convex
- → Burnisher, Round, 120mm

5.45	4.95
5.95	5.41
7.15	6.50
7.15	6.50
9.95	9.04
8.19	7.45
16.95	15.41
	5.95 7.15 7.15 9.95 8.19









#### **COPING SAWS - GERMAN MADE - BOKER**

- Saw, Coping, Boker, #160
- → Blades, Coping, Pinned, pkt 12, #470

ITEM	RRP	Ex GST
T1581	26.95	24.50
L1903	8.29	7.53

22 95	20.86	
		3
		9



#### HARD POINT TENON SAWS - BRITISH

√ 300mm, (12 inch), #S12 HP 12 12ppi

Box, Mitre, and Backsaw, #345701 **T1581** 

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11012111	12 12ppi	11440	22.33

#### **JAPANESE HAND SAWS - GYOKUCHO**

Japanese pull-action saws have a far superior cutting action which is within the ability of the absolute beginner wood worker. They are ideal for use in schools at all ages and replaceable blades take years to lose their edge.

T1446

A Dozuki is equivalent to a western dovetail or tenon saw.

~	Dozuki Noko,	0.3 x 180mm.	, EVA Handle,	#297

✓ Dozuki Noko, 0.3 x 180mm, EVA Handle, #297, Box 12

MITRE BOXES - AUSTRIAN MADE - STUBAI

Blade, for #297

Box, Mitre, #345601

T1388	56.00	50.91
T1389	550.00	500.00
L1018	42.00	38.18

E2525	11.95	10.86
E2526	18.95	17.23



T1388



#### **MARPLES - BRITISH MADE**

British made Marples layout tools are Sheffield made and available in a range of affordable high quality tools made from beech and plantation rosewood.

#### **Beech Squares**



#### **Rosewood Squares**



**Rosewood Mitre Squares** 



**SQUARES - TRY** 

- → Beech Stock, 150mm, #200
- → Beech Stock, 225mm, #201
- ✔ Beech Stock, 300mm, #202
- → Rosewood Stock, with Brass Diamonds, 150mm, #19A
- Rosewood Stock, with Brass Diamonds, 225mm, #19B
- Rosewood Stock, with Brass Diamonds, 300mm, #19C

## SQUARES - MITRE

- Mitre, Rosewood, with Brass Diamonds, 250mm, #19M
- Mitre, Rosewood, with Brass Diamonds, 380mm, #19P

#### **SQUARES - TRY & MITRE**

→ Rosewood Stock, with Brass Diamonds, 250mm, #19T

## GAUGES - MARKING

- → Beech, Half Round Head, Wood Face, Plastic Screw, #1
- → Beech, Half Round Head, Brass Face, Plastic Screw, #2
- Rosewood, Half Round Head, Brass Face & Screw, #6

#### **GAUGES - MORTICE & MARKING - SLIDE ACTION**

- → Beech, Square Head, Wood Face, Plastic Screw, #7
- ✔ Beech, Square Head, Brass Face, Plastic Screw, #8
- ✔ Rosewood, Square Head, Brass Face & Screw, #10C

#### **GAUGES - MORTICE & MARKING - SCREW ACTION**

Rosewood, Square Head, Brass Face & Screw, #13C

#### **GAUGES - CUTTING**

- → Beech, Brass Face, Plastic Thumb Screw, #4
- ✓ Rosewood, Brass Face, Brass Thumb Screw, #6a

T7435	18.38	16.70
T7436	21.88	19.89
T7437	24.21	22.01
T7439	38.00	34.55
T7440	45.75	41.59
T7441	57.50	52.27

T7443	50.25	45.68
T7444	57.00	51.82

T7446	45.25	41.14

T7448	10.21	9.28
T7449	15.00	13.64
T7455	18.75	17.05

T7457	18.54	16.86
T7458	25.21	22.92
T7460	50.00	45.45
T7461	83.25	75.68

T7465	20.21	18.37
T7469	39.25	35.68

Try / Mitre Square



T7448



T7455



T7457



#### **SPARE THUMB SCREW**

~	Screw,	Thumb,	for N	/larking	Gauge
---	--------	--------	-------	----------	-------

#### **BEVELS - MARPLES**

**AWLS - MARPLES** 

**MALLETS - MARPLES** ✓ Mallet, Carpenter's, Beech, 114mm,

**BRAD PUSHER** 

**PINCERS - AUSTRIAN MADE** 

_	Wing	Nut I	ock	Reech	190mm,	#210
•	V V II IQ	INULL	LOCK,	DCCCII,	100111111,	π <u></u> 210

- Wing Nut Lock, Beech, 225mm, #211
- Wing Nut Lock, Beech, 267mm, #212

**MARKING KNIVES - MARPLES** Knife, Marking, Right Hand, Beech, #125

- Screwdriver Lock, Rosewood, 190mm, #20A
- Screwdriver Lock, Rosewood, 267mm, #20C
- Thumb Wheel Lock, Rosewood, 190mm, #20D
- Thumb Wheel Lock, Rosewood, 225mm, #20E
- Thumb Wheel Lock, Rosewood, 300mm, #20H

Knife, Marking, Right Hand, Rosewood, #25

▼ Polished Head, PVC Coated handles, 160mm

→ Pusher, Brad, Rosewood handle #110XW

Knife, Marking, /Steel, 170mm Scribe Point & Blade

Magnetic spring loaded, British made by Crown Tools

Awl, Beech, Round Blade, Screwdriver Point, 50mm blade, T7026

#30a

Allows safe starting of panel pins in hard wood and full driving in soft woods.

Awl, Beech, Reaming, Ground Square Blade, 50mm blade,

S0390	2.95	2.68
T7473	11.67	10.61
T7474	12.17	11.06
T7475	12.00	10.91
T7476	30.00	27.27
T7478	35.00	31.82
T7479	28.75	26.14
T7480	33.25	30.23
T7482	46.25	42.05

8.95

14.95

8.95

9.95

19.33

24.95

25.53

24.95

8.14

13.59

8.14

9.05

17.57

22.68

23.21

22.68

# T7473

T7460







T7027











T7324 & T7325



T7324

T7325

T7329

T3381

T7994

T3464





T7329

**CHISELS - AUSTRIAN MADE - STUBAI BEVEL EDGE** 

Quality Austrian made bench chisels with tough poly propolene handles.

Note: There are 7 styles of bevel edge Stubai chisels available - contact us for other options.



# Stubai Series 3543 Set of 6, 6,10,14,18,22,26mm, Stubai, #354406

2mm, Stubai, #354302

4mm, Stubai, #354304 6mm, Stubai, (6), #354306

8mm, Stubai, #354308

10mm, Stubai, (6), #354310

12mm, Stubai, (4), #354312

ITEM	RRP	Ex GST
T9363	129.95	118.14
T9449	26.95	24.50
T9450	21.83	19.85
T9451	21.83	19.85
T9452	21.83	19.85
T9453	21.83	19.85
T9454	21.83	19.85

19.85

X

×

~	14mm, Stubai, (6), #354314	×	T9455	21.83	19.85
-	16mm, Stubai, (4), #3543 16		T9456	22.61	20.55
-	18mm, Stubai, (6), #354318	×	T9457	23.60	21.45
-	20mm, Stubai, (4), #354320		T9458	24.01	21.83
-	22mm, Stubai, (6), #354322	×	T9459	24.95	22.68
-	24mm, Stubai, (4), #354324		T9460	24.95	22.68
~	26mm, Stubai, (6), #354326	×	T9461	24.95	22.68
-	28mm, Stubai, #354328		T9462	24.95	22.68
-	30mm, Stubai, #354330		T9463	25.47	23.15
-	32mm, Stubai, #354332		T9464	25.47	23.15
~	35mm, Stubai, #354335		T9465	25.99	23.63
-	40mm, Stubai, #354340		T9466	27.14	24.67

#### FIRMER - GERMAN MADE - KIRSCHEN

#### Kirschen Two Cherries Series 1021 - rectangular section, non bevel edge

	Taronom The Chornes Comes 1021 Toolangular Coolie	,	o. oago.	
•	Chisel, Firmer, Flat Hornbeam Handle, 6mm, #1021	T8589	33.93	30.85
•	Chisel, Firmer, Flat Hornbeam Handle, 10mm, #1021	T8591	34.95	31.77
•	Chisel, Firmer, Flat Hornbeam Handle, 12mm, #1021	T8592	35.60	32.36
•	Chisel, Firmer, Flat Hornbeam Handle, 16mm, #1021	T8594	34.95	31.77
~	Chisel, Firmer, Flat Hornbeam Handle, 20mm, #1021	T8596	41.15	37.41
•	Chisel, Firmer, Flat Hornbeam Handle, 26mm, #1021	T8599	48.12	43.75



#### HAND PLANES

- ✔ Plane, Block, #9 1/2, #12-020
- ✔ Plane, Block, #60 1/2, #12-060
- ✓ Plane, Block, #220, #12-220

•	iaiio,	Dioon,	<i></i> ,	•••





165.50

176.75

150.45

160.68



- ✔ Plane, #4, Smoothing, #12-004
- ✔ Plane, #5 Jack, #12-005

T3011	150.54	136.85
T3013	182.42	165.84



T3000

T3001





#### SAFETY CHUCK - QUICK CHANGE KEYLESS CHUCKS AND DRILLS - MADE IN USA

Safety chucks can be installed in any standard keyed jacobs chuck in either stationery drill press or hand held drills. Once fitted the use of dangerous chuck keys is eliminated and drills and countersinks and any detent shank tooling can be quickly snapped into and out of the chuck.

### CHUCKS

Chuck, Quick Change, #40011 T0850 32.06

#### **CHUCK EXTENSIONS - HEX DETENT SHANK**

Used where a longer reach is required. Can be ganged together and accept tooling

- Quick Chuck, with 3 inch Extension, #40013 T0860 28.
- ✓ Quick Chuck, with 6 inch Extension, #40016 T0861

together and accept tooling.						
	T0860	28.60	26.00			
	T0861	31 90	29 00			

29.15

#### **DRILLS - HSS - HEX DETENT SHANK**

These are intergrally formed and can be sharpened but the bits are not replaceable.

- Set, 7 Piece, 1/16,3/32,1/8,5/32,3/16,7/32,1/4 inch
- ✓ Set, 13 Piece, 1/16 to 1/4 inch in 64ths
- √ 1/16 inch, (4/64 1.59mm)
- ✓ 5/64 inch, (5/64 1.98mm)
- √ 3/32 inch, (6/64 2.38mm)
- 7/64 inch, (7/64 2.78mm)

T0646	50.16	45.60
T0647	94.24	85.67
T0648	6.08	5.53
T0649	6.08	5.53
T0650	6.54	5.94
T0651	6.54	5.94





T0860 & T0861



-	1/8 inch, (8/64 - 3.18mm)
_	9/64 inch, (9/64 - 3.57mm)
_	5/32 inch, (10/64 - 3.97mm)
_	11/64 inch, (11/64 - 4.37mm)
_	3/16 inch, (12/64 - 4.76mm)
-	13/64 inch, (13/64 - 5.16mm)
-	7/32 inch, (14/64 - 5.56mm)
-	15/64 inch, (15/64 - 5.95mm)
~	1/4 inch, (16/64 - 6.35mm)

T0652	6.54	5.94
T0653	6.69	6.08
T0654	6.84	6.22
T0655	6.84	6.22
T0656	7.90	7.19
T0657	6.84	6.22
T0658	9.88	8.98
T0659	6.84	6.22
T0660	12.16	11.05



#### ADAPTER DRILLS - HEX DETENT SHANK

These allow drills to	be replaced when	broken or dull.
1/16 inch - 1/61 inch	(1 E0mm) #42004	

-	1/16 inch = 4/64 inch, (1.59mm), #42004	T0870	14.30	13.00
~	5/64 inch = 5/64 inch, (1.98mm), #42005	T0871	14.30	13.00
~	3/32 inch = 6/64 inch, (2.37mm), #42006	T0872	14.30	13.00
~	7/64 inch = 7/64 inch,, (2.78mm), #42007	T0873	14.30	13.00
~	1/8 inch = 8/64 inch, (3.18mm), #42008	T0874	14.30	13.00
~	9/64 inch = 9/64 inch, (3.57mm), #42009	T0875	13.20	12.00
~	5/32 inch = 10/64 inch, (3.97mm), #42010	T0876	14.30	13.00
~	11/64 inch = 11/64 inch, (4.37mm), #42011	T0877	14.30	13.00
~	3/16 inch = 12/64 inch, (4.76mm), #42012	T0878	14.30	13.00
~	13/64 inch = 13/64 inch, (5.16mm), #42013	T0879	14.30	13.00
~	7/32 inch = 14/64 inch, (5.56mm), #42014	T0880	14.30	13.00
~	15/64 inch = 15/64 inch, (5.95mm), #42015	T0881	14.30	13.00
~	1/4 inch = 16/64 inch, (6.35mm), #42016	T0882	14.30	13.00
~	9/32 inch = 18/64 inch, (7.14mm), #42018	T0883	17.60	16.00
~	5/16 inch = 20/64 inch, (7.94mm), #42020	T0884	17.60	16.00
~	3/8 inch = 24/64 inch, (9.53mm), #42024	T0885	20.35	18.50
~	1/8 inch = 8/64 inch, (3.18mm), #42008B, pkt 10	T0886	55.00	50.00
-	Adapter, for Drills, 7 piece set, 1/16 to 1/4 inch, #40020	T0887	94.60	86.00





#### COUNTERSINK/COUNTERBORE - HEX DETENT SHANK - WITH HSS DRILLS

These cuts countersinks and, with an appropriate depth stop collar, plugable counterbores.

	✓ Tool Steel, 5/64 =	5/64, (1.98mm)	T0910	22.00	20.00
		6/64 inch, (2.37mm)	T0911	22.00	20.00
		7/64 inch, (2.78mm)	T0912	22.00	20.00
	✓ Tool Steel, 1/8 =	8/64 inch, (3.18mm)	T0913	22.00	20.00
	✓ Tool Steel, 9/64 =	9/64 inch, (3.57mm)	T0914	22.00	20.00
	▼ Tool Steel, 5 pce s  ■ Tool Steel Steel Tool Steel Tool Steel Tool Steel Steel Tool Steel Stee	set, 5/64,3/32,7/64,1/8,9/64s	T0915	88.00	80.00
i	TOT 5/04 5/04	(4.00			
	✓ TCT, 5/64 = 5/64,	(1.98mm)	T0920	57.20	52.00
	✓ TCT, 3/32 = 6/64	nch, (2.37mm)	T0921	57.20	52.00
	▼ TCT, 7/64 = 7/64 i	nch, (2.78mm)	T0922	49.50	45.00
	✓ TCT, 1/8 = 8/64 ii	nch, (3.18mm)	T0923	49.50	45.00
	✓ TCT, 9/64 = 9/64	nch, (3.57mm)	T0924	49.50	45.00
	▼ TCT, 3/16 = 12/64	inch, (4.76mm)	T0925	49.50	45.00

T0910~T0925



**COUNTERSINKS - HEX DETENT SHANK - TOOL STEEL** 

	82 degree	T0620	34.96	31.78
~	100 degree	T0621	34.96	31.78

T0620 & T0621



T0930~T0949



T0960 & T0961





#### Drill, Spare for Guide Drill, 11/64 inch ✓ Drill, Spare for Guide Drill, 13/64 inch

Drill, Spare for Guide Drill, 5/64 inch

Drill, Spare for Guide Drill, 7/64 inch

✔ Drill, Spare for Guide Drill, 9/64 inch

**GUIDE DRILLS - HEX DETENT SHANK** 

✓ 5 piece Set, 5/64,7/64,9/64,11/64,13/64 inch

5/64 inch (1.98mm), #45105

7/64 inch (2.78mm), #45107

9/64 inch (3.57mm), #45109

11/64 inch (4.37mm), #45111

13/64 inch (5.16mm), #45113

	STOP COLLARS - DEPTH STOP
•	3/8 inch, for countersinks to 1/8 inch
•	1/2 inch, for 9/64 inch countersink

#### PLUG CUTTERS - HEX DETENT SHANK

•	Cutter, Plug, 1/4 inch (6.35mm)
•	Cutter, Plug, 3/8 inch, (9.53mm)
•	Cutter, Plug, 1/2 inch, (12.7mm)
•	Cutter, Plug, 5/8 inch, (15.88mm)
•	Cutter, Plug, 3/4 inch, (19.05mm)
•	Cutter, Plug, 1 inch, (25.4mm)

T0965	31.35	28.50
T0966	37.95	34.50
T0967	44.00	40.00
T0968	50.60	46.00
T0969	72.60	66.00
T0970	93.50	85.00

31.35

31.35

34.65

62.70

62.70

188.10

9.00

9.00

9.00

17.00

17.00

9.90

9.90

28.50

28.50

31.50

57.00

57.00

171.00

8.18

8.18

8.18

15.45

15.45

9.00

9.00

T0930

T0931

T0932

T0933

T0934

T0935

T0945

T0946

T0947

T0948

T0949

T0960

T0961

#### **Cross Hole Countersinks - Australian Made**

The sweetest cutting countersink we know of and high speed steel so also useful in metalwork.

~	HSS, 82deg, 4 to	10mm, #CH82-10

•	HSS, 8	2deg,	5 to	16mm,	#CH82-16

. 4	22H	82dea	g to	20mm	#CH82-20
~	пoo,	ozuey,	ο ιυ	<b>2</b> 0111111,	#CH62-20

#### T0116 27.72 25.20 T0118 40.92 37.20 T0119 58.08 52.80

T01	16 -	T0119
-----	------	-------

#### **Woodworking Vices**

- 175mm Standard Wood Working, #60241
- 200mm Standard Wood Working, #60242
- Plain Screw, Pivot Jaw, 175mm (7 inch), #63245
- Plain Screw, 7 inch (180mm), #52PD

E2113	253.37	230.33
E2114	272.84	248.04
E2129	286.88	260.80
E2120	226.42	205.84




E3113 & E2114

E2129

E2120







#### Tapered Plug Cutters, Brad Point Wood Drills & Universal Borers

Plug cutters cut plugs in either face or end grain, usually in matching wood, although they can be used for contrasting effect, which are often used to conceal screw heads. The use of a drill press and good work-piece clamping practice are essential when using plug cutters. Snug plug cutters are superior because they make a slightly tapered plug which fully closes the hole they are hammered into. Matching brad point or spur lip drills offer smooth cut holes and, with careful wood selection, invisble plugging. Universal borers offer a range of larger sized, smoothly cut holes for numerous project requirements. A drill press is essential.

#### T0170~T0174

~	Cutter, Plug, Tapered, 6mm,	#701860
J	Cutter Plug Tapered 8mm	#701861

- ✓ Cutter, Plug, Tapered, 10mm, #701862 Cutter, Plug, Tapered, 12mm, #701863
- Cutter, Plug, Tapered, 16mm, #701864

T0170	16.12	14.65
T0171	16.88	15.35
T0172	17.14	15.58
T0173	17.55	15.95
T0174	17.99	16.35



Brad point drills are optimised for cutting smooth edge holes in wood. Universal borers are a superior alternative to forstner bits and excel at large diameter, smoothly cut, shallow holes.

	DRILLS - NATIVE BRAD POINT - step shank			
•	Drill, Brad Point, Set of 4, 4,6,8,10mm, Stubai, #300640	T3528	16.95	15.41
•	Drill, Brad Point, Set of 5, 4,5,6,8,10mm, Stubai, #300650	T3529	18.95	17.23
•	Drill, Brad Point, Stubai, 3mm, #300600	T3530	4.16	3.78
~	Drill, Brad Point, Stubai, 4mm, #300601	T3531	4.68	4.25
•	Drill, Brad Point, Stubai, 5mm, #300602	T3532	4.94	4.49
•	Drill, Brad Point, Stubai, 6mm, #300603	T3533	5.45	4.96
•	Drill, Brad Point, Stubai, 7mm, #300604	T3534	6.50	5.91
•	Drill, Brad Point, Stubai, 8mm, #300605	T3535	7.79	7.09
•	Drill, Brad Point, Stubai, 9mm, #300606	T3536	8.73	7.94
•	Drill, Brad Point, Stubai, 10mm, #300607	T3537	9.46	8.60
•	Drill, Brad Point, Stubai, Stepped Shank, 11mm	T3538	14.15	12.86
•	Drill, Brad Point, Stubai, Stepped Shank, 12mm	T3539	15.58	14.16
•	Drill, Brad Point, Stubai, Stepped Shank, 13mm	T3540	19.90	18.09
•	Drill, Brad Point, Stubai, Stepped Shank, 14mm	T3541	21.37	19.43
•	Drill, Brad Point, Stubai, Stepped Shank, 15mm	T3542	23.02	20.93
•	Drill, Brad Point, Stubai, Stepped Shank, 16mm	T3543	24.36	22.14
•	Drill, Brad Point, Stubai, Stepped Shank, 18mm	T3544	29.98	27.26
•	Drill, Brad Point, Stubai, Stepped Shank, 20mm	T3545	33.75	30.68
•	Drill, Brad Point, Stubai, Stepped Shank, 22mm	T3546	37.56	34.14
•	Drill, Brad Point, Stubai, Stepped Shank, 24mm	T3547	43.22	39.29
•	Drill, Brad Point, Stubai, Stepped Shank, 26mm	T3548	54.13	49.21
•	Drill, Brad Point, Stubai, Stepped Shank, 28mm	T3549	59.49	54.08

T3528~T3549



~	Borer, Universal,	12mm,	#308504
~	Borer, Universal,	13mm,	#308505
~	Borer, Universal,	14mm,	#308506
~	Borer, Universal,	15mm,	#308507
~	Borer, Universal,	16mm,	#308508
~	Borer, Universal,	18mm,	#308509
~	Borer, Universal,	20mm,	#308510
~	Borer, Universal,	22mm,	#308511
~	Borer, Universal,	24mm,	#308512
~	Borer, Universal,	25mm,	#308513
~	Borer, Universal,	26mm,	#308514
~	Borer, Universal,	28mm,	#308515
~	Borer, Universal,	30mm,	#308516
~	Borer, Universal,	32mm,	#308517
~	Borer, Universal,	34mm,	#308518
~	Borer, Universal,	35mm,	#308519
~	Borer, Universal,	36mm,	#308520
~	Borer, Universal,	38mm,	#308521
~	Borer, Universal,	40mm,	#308522
~	Borer, Universal,	45mm,	#308523
~	Borer, Universal,	50mm,	#308524

T0323	19.56	17.78
T0324	20.68	18.80
T0325	21.81	19.82
T0326	21.94	19.94
T0327	22.80	20.73
T0328	23.45	21.32
T0329	24.66	22.42
T0330	25.61	23.29
T0331	27.73	25.21
T0332	27.86	25.33
T0334	29.12	26.47
T0335	30.98	28.16
T0336	32.36	29.42
T0337	36.04	32.76
T0338	39.42	35.83
T0339	40.28	36.62
T0340	41.58	37.80
T0341	44.26	40.24
T0342	46.47	42.24
T0343	56.77	51.61
T0344	67.06	60.97

# T0323~T0344

#### C9000

#### Repackaging, Measuring & Decanting Supplies

Our beakers, jugs and funnels are high quality Italian made lab ware Why should the science guys have all the fun?. Pipettes and cylinders for accurate measuring. Safe and secure materials handling.

## C9015



**Polyethelene Bottles** 

- 250ml, with Resealable Witches Cap, 5 pcs
- 500ml, with Resealable Witches Cap, 4 pcs
- 1 litre, with Resealable Witches Cap, 3 pcs
- 250ml, with Cap, 5 pcs
- 500ml, with Cap, 4 pcs
- 1 litre, with Cap, 3 pcs

C9000	18.18	16.53
C9001	14.61	13.29
C9002	17.65	16.04
C9010	14.07	12.79
C9011	11.88	10.80
C9012	14.91	13.55





#### **PLastic Pots**

Jar, Cosmetic, 250ml with lid, 5 pcs

C9015	14.15	12.86

15.36

13.96

C9048

#### C9095



**Funnels** General Purpose, High Density Polyethelne, 100mm

Bottle, Polyethelene, 1 litre, with DG Cap, 3 pcs

Polyethelene Plastic Jerry Cans - Dangerous Goods Rated

- General Purpose, High Density Polyethelene, 120mm
- General Purpose, High Density Polyethelene, 140mm
- General Purpose, High Density Polyethelene, 180mm
- General Purpose, High Density Polyethelene, 220mm General Purpose, High Density Polyethelene, 280mm
- C9095 3.22 2.92 C9096 4.02 3.65 C9097 6.37 5.79 C9098 11.73 10.66 C9099 16.08 14.62 C9100 20.77 18.88



C9132

- Powder/Liquid, Large Mouth, Polypropolene, 100mm
- Powder/Liquid, Large Mouth, Polypropolene, 120mm
- Powder/Liquid, Large Mouth, Polypropolene, 150mm

C9103	8.04	7.31
C9104	8.71	7.92
C9105	11.39	10.35

C9121



### **Graduated Wide Neck Storage Bottles - Round**

- Bottle, Graduated, Wide Neck, Round 50ml, #409
- → Bottle, Graduated, Wide Neck, Round 100ml, #409
- → Bottle, Graduated, Wide Neck, Round 250ml, #410
- Bottle, Graduated, Wide Neck, Round 500ml, #411
- Bottle, Graduated, Wide Neck, Round, 1000ml, #412
- Bottle, Graduated, Wide Neck, Round, 2000ml, #413

C9121	3.36	3.05
C9122	3.78	3.44
C9123	4.50	4.09
C9124	4.95	4.50
C9125	6.60	6.00
C9126	13.20	12.00

#### **Graduated Wide Neck Storage Bottles - Square**

- Bottle, Graduated, Wide Neck, Square, 100ml, #610
- Bottle, Graduated, Wide Neck, Square, 250ml, #611
- Bottle, Graduated, Wide Neck, Square, 500ml, #612
- Bottle, Graduated, Wide Neck, Square, 1000ml, #613
- Bottle, Graduated, Wide Neck, Square, 2000ml, #614

#### **Wash Bottles**

- Wide Mouth, Polyethylene, 250 ml, 04 Blue, #1637
- Wide Mouth, Polyethylene, 250 ml, 06 Yellow, #1637
- Wide Mouth, Polyethylene, 250 ml, 10 Red, #1637

#### **Beakers - Graduated**

- Polypropylene, 50 ml, #1802
- Polypropylene, 100 ml, #1803
- Polypropylene, 250 ml, #1805
- Polypropylene, 500 ml, #1806
- Polypropylene, 1000 ml, #1808
- Polypropylene, Blue Graduations, 25 ml, #1821
- Polypropylene, Blue Graduations, 100 ml, #1823
- Polypropylene, Blue Graduations, 500 ml, #1825
- Polypropylene, Blue Graduations, 1000 ml, #1826
- Polypropylene, Blue Graduations, 3000 ml, #818

#### Jugs

- Measuring, Polypropylene, Squat Profile, 500 ml
- Measuring, Polypropylene, Squat Profile, 1000 ml
- Measuring, Polypropylene, Squat Profile, 2000 ml
- Measuring, Polypropylene, Squat Profile, 3000 ml
- Measuring, Polypropylene, Squat Profile, 5000 ml
- Measuring, Polypropylene, Tall Profile, 250 ml
- Measuring, Polypropylene, Tall Profile, 500 ml
- Measuring, Polypropylene, Tall Profile, 1000 ml
- Measuring, Polypropylene, Tall Profile, 2000 ml
- Measuring, Polypropylene, Tall Profile, 3000 ml
- Pipette, Dropping, Bellows Type, 1.5ml, 10 pieces
- Pipette, Dropping, Bellows Type, 5.0ml, 10 pieces
- Rod, Stirring, Polypropolene, 244mm, 10 pcs

#### **Measuring Cylinders**

- Capacity 10ml, Grads. at 2ml, 13.5mm x 140mm
- ✓ Capacity 25ml, Grads. at 5ml, 18.0mm x 195mm
- ✓ Capacity 50ml, Grads. at 10ml, 25.5mm x 199mm
- Capacity 100ml, Grads. at 10ml, 30.5mm x 249mm
- Capacity 500ml, Grads. at 50ml, 55.0mm x 361mm
- Capacity 1000ml, Grads. at 100ml, 66.0mm x 439mm

#### **Drum Tap**

Tap, for threaded Drums, 3/4 inch BSP, #375 Rotates when tap fully screwed in

C9132	4.14	3.76
C9133	4.65	4.23
C9134	5.70	5.18
C9135	6.90	6.27
C9136	12 60	11 /5

C9152	6.95	6.32
C9153	6.95	6.32
C9154	6.95	6.32

C9161	4.46	4.05
C9162	5.28	4.80
C9163	5.85	5.32
C9164	9.00	8.18
C9165	15.75	14.32

C9167	4.29	3.90
C9168	5.45	4.95
C9169	9.75	8.86
C9170	18.00	16.36
C9171	43.50	39.55

C9172	11.06	10.05
C9173	12.44	11.31
C9174	16.75	15.23
C9175	25.13	22.84
C9176	37.69	34.26
C9180	15.66	14.24
C9181	17.50	15.91
C9182	20.10	18.27
C9183	46.90	42.64
C9184	49.58	45.07
C9214	7.95	7.23
C9215	8.15	7.41
C9220	19.80	18.00

C9225	7.80	7.09
C9226	9.00	8.18
C9227	9.00	8.18
C9228	10.20	9.27
C9229	21.60	19.64
C9230	40.80	37.09

C9250	19.00	17.27

#### C9152



C9167



C9225



C9172



C9180



C9250

